

THE FANTASIA COLLECTION 2012/13

# THE GREENER WAY TO MOVE AIR





## WELCOME TO THE FANTASIA 2012/13 COLLECTION

We at Fantasia are proud of our history as pioneers of the UK ceiling fan market, our aim is to continue to provide innovative designs with the latest energy saving technology and an after sales service second to none.

Whilst there is an initial cost involved in providing these, there are significant savings to be made over years of running a reliable and low energy product.

Fans and fan accessories are our only products and we sell them all year round, I would particularly point out the benefits of a ceiling fan in Winter as I am sure that most people only think of ceiling fans keeping you cool and are not aware of this Winter benefit.

Should you purchase one of our fans I am sure you will be delighted with it and if you have any queries you can put our after sales service to the test.

Tony

MD. ON BEHALF OF THE FANTASIA TEAM

## 8 REASONS TO CHOOSE FANTASIA



#### 5–15 YEAR WARRANTY

As a sign of our confidence in our fans we back every Fantasia motor with a 5–15 year warranty depending on range. If you have any problems within the warranty period then we'll repair or replace it free of charge.



### QUIET, EFFICIENT, LOW MAINTENANCE

Fantasia fans combine larger motors with a steeper blade pitch to maximise the circulation of air whilst ensuring whisper quiet, economical and well blanced operation



## LOW ENERGY

In the Elite range you will find our latest technology including low energy models



### CONTROL OPTIONS

A number of fan models are operated by remote control as standard but those with pull cords can still be fitted with a remote controller as an added option. We also supply single wall controls to operate fan speeds and double wall controls to operate both the speeds and the fan light.



## LIGHTING OPTIONS

rrany an models come complete with lights but almost all are light adaptable giving a wide variety of options to suit individual tastes. All out light adaptable fans are pictured with suggestions for additional light kits



## REVERSE FUNCTION

Fantasia fans can be reversed in Winter to reclaim heat trapped at ceiling level. This can make your central heating more efficient



## VERSATILE INSTALLATION

Our range consists of drop mount, dual mount and flush mount fans to fit varying ceiling heights, with a selection of longer drop rods. Conversion kits and specialist fixings for conservatories are also available. Whatever your installation requirements there will be a Fantasia fan to suit your needs.



## **CUSTOMER SERVICE**

Fantasia we are confident that our customer vice is second to none. Our friendly, helpful m are available to help with any questions you have. Fantasia are past winners of the South







## LOW ENERGY DC MOTOR

interference. A greater degree of speed



## CONTENTS

- 4 zeta low energy
- 6 delta low energy
- 7 alpha low energy
- 8 omega low energy
- 9 quadrant
- 10 viper plus
- 12 blade
- 13 splash/angel

16 viper 27 amalfi 18 sigma 28 emotion

19 propeller 29 riviera 20 orion 30 classic

32 vienna 21 phoenix

22 spinnaker 34 mayfair combi

23 palm/wicker 38 mayfair 24 gemini 40 capri combi

26 trinity

41 capri

## OUR ENVIRONMENTAL COMMITMENT

We consider care for the environment to be one of our key responsibilities and an important part of the way in which we do business. Protection of the environment in which we live and operate is integral to Fantasia's values and principles.

We are energy conscious when looking for new product and for 2012 we have expanded our DC motor range, which uses 60% less power consumption than a standard fan. We have also introduced our first low energy LED fan light and will be expanding this element of our range in the future.

Fantasia ceiling fans are better for the environment than other air cooling systems. Running costs are less than running a 100w light bulb for the same period. The winter setting on our ceiling fans re-circulates warm air trapped at ceiling level, eliminating cold spots and draughts and distributing room heat without creating a draft. Used correctly, a fan can save as much as 10% on energy bills during winter months.

Our brochure is printed on FSC Certified stock, which ensures that the paper comes only from well managed forests, by an ISO 14001 accredited printer using vegetable based inks. All our office paper is 100% recycled and our cardboard boxes are made of 60% recycled material. We strive to protect the environment by limiting our contribution to pollution of land, air and water, seeking to keep wastage to a minimum and maximising our efficient use of materials and resources.





- 44 atom
- 45 neptune
- 46 genoa 47 belaire

- 48 useful information
- 49 controls
- 50 mounting options 51 blade options
- 52 fag
- 53 measuring up guide



# THE ELITE RANGE

### EXCEPTIONAL STYLE | CUTTING EDGE TECHNOLOGY | LOW ENERGY MODELS | 15 YEAR WARRANTY

Next Generation Air Movement. Seamlessly combining exceptional styling with next generation technology, if you are looking for something that extra bit special then the Elite range is for you. Drawing on cutting edge technology such as low energy motors, LED lighting and patented designs, the Elite Range delivers elegant air movement without compromise.
































#### **DELTA & ALPHA KEY FEATURES**

- DC Motor uses 60% less electricity than a standard ceiling fan
- · Exclusive Pulse technology provides varying speeds to create a natural breeze effect on hot summer days
- Complete with enhanced remote control which operates reverse function and 6 forward and 6 reverse speeds
- Aries or Sorrento light kit can be added

#### TECHNICAL

Light Can be added Enhanced Remote Control Operation Net Weight

Rod Diameter 22mm Rod Length 6"/150mm Mounting Drop Mount



### SUGGESTED LIGHT KITS



ARIES BN



221319 ARIES WHITE



SORRENTO BN




Delta shown as flush mount (flush mounting kit required) with additional Aries light kit.



















#### **KEY FEATURES**

- · DC Motor uses 60% less electricity than a standard ceiling fan
- · Exclusive Pulse technology provides varying speeds to create a natural breeze effect on hot summer days
- Complete with enhanced remote control which operates reverse function and 6 forward and 6 reverse speeds
- · Aries or Sorrento light kit can be added

#### HINTS & TIPS

This fan can alternatively be flush mounted with additional purchase of a flush mount kit (see inset).

#### TECHNICAL

Can be added Light Operation Enhanced Remote Control Net Weight

Rod Diameter 22mm 6"/150mm Rod Length Mounting Drop Mount

## SUGGESTED LIGHT KITS




ARIES BN



SORRENTO BN

THAT OLD SAYING "BUY THE BEST AND EXPECT THE BEST" HAS BEEN PUT TO THE TEST AND YOU PASSED IT WITH FLYING COLOURS! ROY ANDREWS, WEST YORKSHIRE







# VIPER PLUS NEW (15)


















#### KEY FEATURES

- · Low energy, long life LED lights
- · Funky eye-catching silhouette
- · Durable ABS blades and fan body
- Use in summer for cooling and in winter to re-circulate warm air
- Complete with remote control to operate the 3 speeds and light on/off

### TECHNICAL

Light 7 x Iw LED
Operation Remote Control
Net Weight 10kg
Rod Diameter 27mm
Rod Length 6"/150mm
Mounting Drop Mount



## KEY FEATURES


- Supreme Style Twisted Blades
- Complete with remote control to operate the 3 speeds and light on/off/dim
- · Integral Halogen Light

#### TECHNICAL

Light 2 x 60w G9

Operation Enhanced Remote Control Net Weight 9kg

Net Weight 9kg Rod Diameter 27mm Rod Length 6"/150mm Mounting Drop Mount







# THE FANTASIA RANGE

#### OUTSTANDING OUALITY | EXTENSIVE RANGE | VERSATILE INSTALLATION | LOYEAR WARRANTY

Fantasia Ceiling Fans are credited as the pioneers of the UK ceiling fan market with a reputation for exceptional quality, service and value for money. Our extensive Fantasia range consists of both new models and well-established designs that we know our customers love. With such a variety of options you are sure to find something suitable, whatever your requirements.





#### KEY FEATURE

- The ultimate blend of stunning design and exceptional air movement
- Complete with remote control to operate the 3 speeds and light dimming
- Use in summer for cooling and in winter to re-circulate warm air
- · Integral halogen light
- Available in two sizes

#### HINTS & TIPS

Fantasia fan motors are maintenance free.

The motors are of silicon steel construction with double sealed bearings and all metal surfaces are powder coated or plated and lacquered to give a permanent seal and prevent tarnishing.

BOTH THE ELECTRICIAN AND MYSELF ARE IMPRESSED WITH THE QUALITY OF THE VIPER FAN JOHN BURNAND, SOMERSET







#### KEY FEATURE

- Sleek design to complement modern interiors
- Complete with remote control to operate the 3 speeds and light dimming
- Use in summer for cooling and in winter to re-circulate warm air
- · Integral halogen light

#### HINTS & TIPS


When choosing the size of your fan, it is a good idea to try to accommodate the largest blade span possible in the room.

Running a larger fan on a lower speed is not only more relaxing but it is more efficient too as the lower speeds achieve higher levels of air movement per watt.

#### **TECHNICAL**

 $\begin{array}{ll} \mbox{Light} & \mbox{I} \times \mbox{I00w J-Type 78mm Halogen} \\ \mbox{Operation} & \mbox{Remote Control} \end{array}$ 

Net Weight 6.5kg
Rod Diameter 27mm
Rod Length 6"/150mm
Mounting Drop Mount







I AM GLAD I CHOSE FANTASIA FANS FOR THE REST OF MY HOUSE IF THIS IS YOUR NORMAL LEVEL OF CUSTOMER SERVICE.

STEVE UNWIN, CHELMSFORD

### HINTS & TIPS

Don't forget, we're fan experts!

Need to know which size fan is most suitable for your installation?


Want to check your fan is spinning in the right direction for the season? Looking to upgrade to a remote control?

We've got all the answers and are keen to supply the ceiling fan that's right for you. Telephone: 0.0559564440


Email: info@fantasiaceilingfans.com

Light I x 60w G9 Halogen
Operation Remote Control
Net Weight 9kg
Rod Diameter 27mm

Rod Diameter 27mm
Rod Length 6"/150mm
Mounting Drop Mount












#### KEY FEATURES

- Delicate lattice around fan body and scrolled blade carrier design
- Complete with remote control to operate the 3 speeds and light dimming
- Use in summer for cooling and in winter to re-circulate warm air
- Integral halogen light




I x 100w J-Type 78mm Halogen Remote Control Light Operation

Net Weight Rod Diameter 27mm Rod Length 6"/150mm Drop Mount Mounting



# SPINNAKER 10



#### KEY FEATURES

- Canvas blade technology
- Washable blades available in a variety of striking colours
- · Light kits can be added
- Use in summer for cooling and in winter to re-circulate warm air
- Pull cord operates the 3 speeds of the fan
- Can be upgraded to remote control operation




Blade options (clockwise from top) White, Blue, Stone (Khaki), Racing Green, Red

#### TECHNICAL

Light 3 x 60w G9 (where fitted)
Operation Pull Cord

Net Weight 8kg Rod Diameter 22mm Rod Length 6"/150mm Mounting Drop Mount










#### KEY FEATURE

- · Colonial style blades
- Independent pull cords operate the 3 speeds of the fan and the light (where light is fitted)
- Can be upgraded to remote control operation
- Use in summer for cooling and in winter to re-circulate warm air
- · Available with or without a light
- Pull Cords operate all three speeds of the fan

#### **TECHNICAL**

Light 3 x 60w G9 (where fitted)
Operation Pull Cords

Net Weight 8.6kg Rod Diameter 22mm Rod Length 6"/150mm Mounting Drop Mount














Light 3 x 50w GUI0 Halogen Pull Cords Operation

Net Weight 6.5kg


Rod Diameter 22mm – ordered separately Conversion Kit also required

Flush Mount as standard Mounting









#### KEY FEATURES

- Compact design works particularly well in smaller rooms
- Flush mounted making it suitable for low ceilings
- Complete with halogen light kit
- Independent pull cords operate the 3 speeds of the fan and the light
- Can be upgraded to remote control operation
- Use in summer for cooling and in winter to re-circulate warm air

#### HINTS & TIPS

Fantasia fan blades are available in many different finishes. They can be swapped within each range.


Often there is a different blade finish on the reverse side of the blade so that it can be attached either way up to complement different interiors.

#### **FECHNICAL**

Light 3 x 60w G9 Halogen Operation Pull Cords Net Weight 6kg

Rod Diameter 22mm – ordered separately and Conversion Kit also required


Mounting Flush Mount















#### SUGGESTED LIGHT KITS



220046 SCHOOLHOUSE GLOBE



220107 SATURN GLOBE



220053 ROUND GLOBE



221623 DOME GLOBE

#### KEY FEATURE

- · Perfect for traditionally-styled interiors
- Dual mount fixing means fan can be fitted with or without drop rod
- · Light kits can be added
- Use in summer for cooling and in winter to re-circulate warm air
- Pull cord operates the 3 speeds of the fan
- Can be upgraded to remote control operation





# VIENNA QUICK FIT SYSTEM
















#### **TECHNICAL**

Light 3 × 60w BC
Operation Pull Cords
Net Weight 6.4kg
Rod Diameter 27mm
Rod Length 18"/450mm
Mounting Drop Mount




# MAYFAIR COMBI



# MAYFAIR COMBI






Combi III757 3 x 50w GUI0 Halogen Combi III825 3 x 60w G9 Halogen Combi III818 3 x 60w G9 Halogen Operation

Pull Cords Net Weight 6kg

Rod Diameter 22mm – ordered separately Conversion Kit also required

Flush Mount Mounting



# MAYFAIR COMBI



- · Modern styling to complement any interior
- · Flush mounted making it suitable for low ceilings (can be converted to drop rod style if required)
- · Complete with halogen light kit (see specification for more information)
- Use in summer for cooling and in winter to re-circulate warm air
- Independent pull cords operate the 3 speeds of the fan and the light
- Can be upgraded to remote control operation

**OUR MAYFAIR FAN HAS GIVEN US FAULTLESS** SERVICE FOR MANY YEARS AND IS BY FAR THE BEST FAN WE HAVE SEEN IN ANY CONSERVATORY.


MICHAEL OAKLEY, ESSEX

Light 3 x 60w G9 Halogen Operation Pull Cords Net Weight

Rod Length Mounting

Rod Diameter 22mm - ordered separately and Conversion Kit also required

Flush Mount



# MAYFAIR COMBI



### HINTS & TIPS


Did you know that you can add a remote control to any pull cord operated fan as an optional extra?


I AM WRITING TO THANK YOU FOR THE **EXCELLENT SERVICE** YOU GAVE WHEN I RANG LOOKING FOR A SPARE BLADE CARRIER FOR MY FAN JOY SMITH, CHELMSFORD

3 x 60w G9 Halogen Light Operation Pull Cords Net Weight

Rod Diameter 22mm - ordered separately Rod Length Conversion Kit also required Mounting

Flush Mount





## SUGGESTED LIGHT KITS



220954 SPARTA STAINLESS STEEL





SORRENTO STAINLESS STEEL SORRENTO GLOSS WHITE



SCHOOLHOUSE GLOBE

## **KEY FEATURES**

- Modern styling to complement any interior
- Flush mounted making it suitable for low ceilings (can be converted to drop rod style if required)
- Use in summer for cooling and in winter to re-circulate warm air
- Independent pull cords operate the 3 speeds of the fan and the light
- Can be upgraded to remote control operation



## SUGGESTED LIGHT KITS












FLORENCE POLISHED BRASS

Can be added Operation Pull Cord 5.4kg Net Weight Rod Diameter 22mm – ordered separately Conversion Kit also required Mounting

Flush Mount





### KEY FEATURE

- Compact design works particularly well smaller rooms
- Flush mounted making it suitable for low ceilings (can be converted to drop rod style if required)
- · Complete with light kit
- Use in summer for cooling and in winter to re-circulate warm air
- Independent pull cords operate the 3 speeds of the fan and the light
- Can be upgraded to remote control operation

### **HINTS & TIPS**

Our 36"/914mm fans are particularly suitable for smaller rooms and come flush mounted as standard, making them ideal for low ceilings.


A fan of this size can usually cover a 12ft  $\times$  12ft room (3.6m  $\times$  3.6m) but do take into consideration whether the room is likely to get hotter than average, for example a south facing room or a conservatory, In those cases a 42″1070mm fan may be more appropriate.

### TECHNICAL

Light 3 × 60 w BC
Operation Pull Cords
Net Weight 6kg

Rod Diameter 22mm – ordered separately and Conversion Kit also required

Mounting Flush Mount





- · Compact design works particularly well in smaller rooms
- Flush mounted making it suitable for low ceilings (can be converted to drop rod style if required)
- · Light kits can be added
- Use in summer for cooling and in winter to re-circulate warm air
- Independent pull cords operate the 3 speeds
- Can be upgraded to remote control operation

I WOULD CERTAINLY **RECOMMEND** FANTASIA TO ANYONE NEEDING A FAN, OR HELP WITH A FAN.


MARGARET COWAN. COUNTY DURHAM

Mounting

Light Can be added Operation Pull Cord Net Weight

Rod Diameter 22mm – ordered separately and Conversion Kit also required

Flush Mount







VENICE GLOSS WHITE VENICE STAINLESS STEEL



AMORIE STAINLESS STEEL





TULIP GLOSS WHITE

# THE EUROFANS RANGE

MODERN & TRADITIONAL STYLES | VALUE FOR MONEY | 5 YEAR WARRANTY

Our new Eurofans range brings style and value to your home. In a selection of modern & traditional styles, Eurofans provide reliable ventilation and lighting backed by a 5 year warranty.



### KEY FEATURE

- Unique 3 bladed design
- Curved Acrylic Blades
- Integral Halogen Light
- Complete with Remote Control
- Dual Mount Can be flush or drop mounted


### TECHNICAL

Light Light I x 60w G9
Operation Remote Control
Net Weight 8kg
Rod Diameter 27mm
Rod Length 6"/I 50mm

Rod Diameter 27mm Rod Length 6"/150mm Mounting Dual Mount

### HINITS & TIP

High Ceiling? Order a longer drop rod with your ceiling fan



NOTE: Overall drop will decrease by I20mm when flush mounted











- Pull Cord Operation
- 3 × 60w Halogen Light
- 3 Speeds in forward and reverse
- Modern Styling
- Can be upgraded to Remote Control operation

3 Light Kit (3 × 60w G9) Light

Operation Pull Cords Net Weight 6.5kg Rod Diameter 22mm Rod Length 6"/150mm Mounting Dual Mount

Did you know you can reverse your fan in Winter to re-circulate warm air trapped at ceiling level?





## USEFUL INFORMATION

## For technical advice and customer service please call 01959 564440 or email: technical@fantasiaceilingfans.com

When choosing a ceiling fan it is important to remember that it is more relaxing and efficient to run a larger fan on a slower speed than a smaller fan on a high speed.

Fantasia Fans range in size from 36"/914mm to 56"/1420mm in diameter to suit any installation.We do not recommend the use of a 36" fan in a conservatory, as it would not be sufficient to affect the build up of heat that a conservatory creates. A conservatory installation may require a drop rod and conversion kit. A drop rod and conversion kit can be ordered separately for flush mounted fans.

The guide below suggests the fan size most appropriate for the installation.

	Fan Size
12ft × 12ft (3.65m × 3.65m)	36"/42" (914mm/1070mm)
15ft × 12ft (4.57m × 3.65m)	42"/52" (1070mm/1320mm)
20ft × 14ft (6.10m × 4.27m)	52" (1320mm)
25ft × 12ft (7.62m × 3.65m)	2 × 42" (1070mm) or 1 × 52" (1320mm)

The size guide is based on rooms with ceilings of 8'2" (2.5m). For rooms with higher ceilings a drop rod should be used to drop the fan down to 8'2" (2.5m) above the floor. Should the room have abnormal heat conditions go to the next fan size up in relation to the information in the above size guide.

### **FAN BLADES**

Fantasia fan blades are available in many different finishes. They can be swapped within each range. Often there is a different finish on the reverse side of the blade. The blade can be attached either way up to compliment different interiors.

### CONVERSION KITS

Flush mounted fans can be converted to drop mount by using a conversion kit and drop rod. Dual mount fans do not require conversion kits, and are supplied with a short drop rod. Longer rods are available. Please check rod diameter required when ordering.

### WIRING

Fantasia Fans run from standard lighting wiring (two core and earth). If you wish to install a double wall control then three core and earth wiring is required.

### INSTALLATION

We recommend installation is carried out in accordance with National Electrical Codes. The fixing point for the ceiling fan must be strong enough to hold 10 times the fan's stationary weight. Minimum recommended ceiling height for fan installation is 8'2'/2.5m. Ensure there is at least 8'/200mm between the fan blade and any obstruction. See our measuring up guide on PS3.

### REMOTE CONTROL

This is a popular way of controlling our ceiling fans and lights. The remote control consists of a handset and receiver and can be installed in any of our fans. You can fit the remote control after the fan has been installed. The remote control cannot be used in conjunction with a wall control, however, an on/off wall switch is recommended.

## **TECHNICAL**

Fantasia fans can be operated in summer for a cooling effect and reversed in winter to re-circulate warm air trapped at ceiling level.

Fantasia fan motors are of silicon steel construction with double sealed bearings, ensuring long, quiet, reliable and maintenance-free operation. Fantasia motor housings are of metal or ABS construction. All metal surfaces are powder coated or plated and lacquered to give a permanent seal and prevent tarnishing.

All models operate on 220–240 volt 50–60htz electricity supply. The power ratings of our standard fan motors range from 60–75watts with 3 forward and 3 reverse speeds. Our Low Energy fan motors (found in the Elite range) use approximately 6 watts on low speed and 35 watts on high speed. Additionally these fans have 6 speeds in forward and 6 in reverse as well as a remote controlled reverse function.

Installing a Fantasia fan is similar to installing a light fitting but you must ensure that the fan blade tips are at least 8" (200mm) from any obstruction such as a sloping roof or beam. Blades should be mounted at least 7ft 6" (2.3m) from the floor.

Ceiling fans can be installed in any room, except bathrooms. In conservatories or rooms with higher ceilings a drop rod and conversion kit may be required (see page 48 for more information). Wall controls and remote controls are also available.

### DC MOTORS

We are energy conscious when looking for new product and for 2012 we have expanded our DC motor range, which uses 60% less power consumption than a standard fan. We have also included a low energy LED fan light and intend to expand this element of our range in the future.

Note that wall controls cannot be used with low energy DC motors.



Fantasia Distribution Ltd have the right to change specification without notice. All images and text are copyright of Fantasia Distribution Ltd

## CONTROLS



### WALL SPEED CONTRO

Fits into a standard 25mm single gang box, Controls the 3 fan speeds only Maximum power rating is 200 watts, Requires twin and earth cable between fan and control.

Please note you will need one controller per fan (2 year warranty).

### WALL SPEED CONTROL/DIMMER

Controls both the fan and light. Fits into a standard 25mm double gang box and requires 3 core and earth wiring. Maximum power rating 400 watts on the dimmer and 200 watts on the fan control.

Please note you will need one controller per fan (2 year warranty).

### REMOTE CONTROL

Controls 3 fan speeds and light including dimming.

You will need one complete remote control system per fan.

Requires twin and earth cable to receiver (2 year warranty).

### NOT

These controls do not switch the fan from forward to reverse. This must be done with the manual reverse switch on the fan itself. Only Fantasia wall controls can be used to control fan motors. A standard light dimmer used on a Fantasia fan motor will cause it to buzz

# MOUNTING OPTIONS



### CONVERSION KIT

This is required when changing a flush mounted fan (fig 1) to a drop mount (fig 2). The conversion kit will allow a fan to be mounted on a slope up to 40 degrees. Different finishes available (refer to price list). Please note that when using a remote control the maximum angle reduces to 20 degrees.





Anatomy of a Conversion Kit

### BIG STRIP FASTENE

This can be useful in some conservatory installations.

Ask your conservatory supplier whether a big strip fastener is suitable for your installation.

### DROP RODS

A drop rod lowers the fan to the required height above the floor. Available in 5 lengths from 12" (300mm) to 72" (1830mm).

Please check carefully the type of drop rod the fan requires. Check whether the ceiling fan ordered requires a 22mm diameter drop rod or a 27mm diameter drop rod. Drop rods can be cut to size.

Some finishes of drop rod are only available up to 30" (760mm) in length.

## **BLADE OPTIONS**



GLOSS MAHOGANY mayfair phoenix viper viper plus



gemini mayfair riviera sigma viper viper plus



MATT BEECH capri gemini genoa mayfair orion viper viper plus



MATT MAPLE
alpha phoenix
capri propeller
delta sigma
gemini trinity
genoa viper
mayfair viper plus
orion



MATT SILVER
amalfi orion
blade quadrant
capri riviera
eMotion splash
mayfair vienna
neptune viper
viper plus



MATT WASHED OAK amalfi capri mayfair phoenix riviera vienna



MATT MAHOGANY belaire capri classic vienna



MATT WHITE

amalfi classic

belaire phoenix

blade vienna

capri zeta

delta



MATT OAK & CANE belaire capri classic vienna



GLOSS BLACK gemini mayfair viper viper plus



DARK OAK
alpha propeller
delta sigma
mayfair trinity
omega



MATT BRC mayfair



GLOSS PINEWOO mayfair



MATT WHITE & belaire classic vienna



GLOSS OAK & CAN mayfair



MATT BLACK classic mayfair

zeta



MATT PINEWOOD mayfair



BLACK MARBLE mayfair



palm



wicker

Note: Actual blade finishes may vary slightly from those pictured here. To be certain what the blade looks like please order a blade sample.


## FREQUENTLY ASKED QUESTIONS

- Q. Why buy a Fantasia Fan?
- A. Fantasia fans can be more expensive than others on the market but this can be explained by their many superior qualities. The silicon steel motors are larger, meaning more air movement, and have double sealed bearings to ensure durability and quiet operation. All metal finishes are double lacquered to eliminate tarnishing and all fan motors are supplied with a 5–15 year warranty, depending on the range.
- Q. Do ceiling fans require any special wiring and are they difficult to fit?
- A. A fan with or without lights can be wired into an existing lighting circuit and is a simple DIY job. If you are in any doubt then consult a qualified electrician.
- Q. Are fans noisy and do they wobble?
- A. Some competitors' fans are noisy and wobble because they are made from lower quality materials. Fantasia fans run quietly and, even when fitted with a drop rod, are very stable.
- O. How is the speed of the fan controlled?
- A. Fantasia fans have either a remote control, wall control or an integral pull switch to operate the forward and reverse speeds. If a fan does not have a pull cord then it will be supplied complete with a remote control as specified. All our pull cord operated fans can be upgraded to either a wall control or a remote control.
- Q. Can fans be operated from a wall control?
- A. Fantasia fans can be operated by either a single wall control or, if the fan has a light, a double wall control/ dimmer. A standard dimmer switch cannot be used to adjust fan speeds. Note that wall controls cannot be used on DC motors.
- Q. What is the wattage of a fan motor?
- A. The power rating of our fan motors ranges from 30 watts (DC motors) to 75 watts. The average fan motor is 65 watts. Generally speaking, the larger the fan the higher the motor wattage.

- Q. How much does a fan cost to run?
- A. Fantasia fans run off the standard lighting circuit (5 amp) and are very ecconomical to run, costing approximately 5p for 8 hours at high speed – less than a 100w light bulb. The winter setting on our fans recirculates warm air trapped at ceiling level, eliminating cold spots and draughts and distributing room heat without creating a cooling draft. Used correctly, a fan can save as much as 10% on energy bills during winter months
- Q. What is the minimum mounting height for
- A. The British Standards Institute recommends that the blades should be no less than 7ft 6" from the floor.
- Q. How do I work out the length of drop rod required when fitting the fan into a conservatory or high ceiling?
- A. The drop rod length is determined by the ceiling height. The optimum height from the floor to the blade is between 7ft6" and 9ft and flush mounted fans will require a conversion kit to fit a drop rod.
- Q. Can fans be installed on a sloping ceiling?
- A. Fans can be installed up to an angle of 35° (20° if a remote control is fitted). A minimum of 8" must be allowed between the tip of the blade and the slope of the ceiling, or any other obstruction.
- Q. Does the fan require any maintenance or cleaning?
- A. All Fantasia fans have permanently sealed bearings, double lacquered surfaces and do not require maintenance. An occasional light dusting with a soft cloth is all that is required although it is suggested that all fixings/screws are tightened annually. Do not use liquids or polishers on any part of your ceiling fan as this may cause damage.



## MEASURING UP GUIDE







Fantasia Distribution Ltd
Unit B,The Flyers Way,Westerham, Kent TN16 IDE, United Kingdom
T: +44 (0)1959 564440 F: +44 (0)1959 564829
info@fantasiaceilingfans.com
www.fantasiaceilingfans.com
twitter: @FansByFantasia
facebook.com/FantasiaUK

