
# VIVANCO





# INTELLIGENT SOLUTIONS



### LOOKING FOR NEW PROFIT GENERATING PRODUCT?

Vivanco continues to maximise the accessory potential for all its trade partners - with more class leading accessory ranges to compliment the latest hardware. Consumer-orientated packaging creates readily shoppable displays within personalised concepts both in-store and on-line, to enhance the consumer experience.

Our increasing e-marketing activity takes our consumer focus & category management to completely new levels. Our European new product development/marketing department is backed by a significant German based QC team - which gives our customers the confidence they need. On top of this, our new Far East structure has given us much greater sourcing & manufacturing access to new technologies.

All of this, combined with our flexibility and customer focus makes Vivanco the right partner for technology accessory solutions.

# **CONTENTS**

Wall mounts	4 – 18	Au	udio	40 – 51
UNIVERSAL fixed UNIVERSAL tilt UNIVERSAL tilt & swing, single arm UNIVERSAL tilt & swing, dual arm Titan – fixed Titan – tilt Titan – tilt & swing Professional tilt & swing, dual arm Fast-moving range Cable management: Cable cover D-Line	5 6 7 8 10 11 – 12 12 – 13 14 15 – 17	He He He He Ste TV In- Ea In-	Headphones aircoustic Premium Series Headphones aircoustic Mobile Series Headphones aircoustic Travel Series Headphones aircoustic Sport Series Headphones aircoustic Urban Series Headphones aircoustic Ear Buddy Series Stereo headphones aircoustic TV headphones aircoustic In-ear headphones / Headphones, Standard ran Ear pads In-ear headphones Fusion In-ear headphones / Headphones Colour Buds Microphones	4: 42 43 44 - 45 46 46 47 age 47 - 48 49
Furniture	19 – 20			5
TV Furniture	19 – 20	M	P3 / iPhone accessories	52 – 55
Remote controls	21 – 22		MP3 headphones	52
Titan remote controls Remote controls	21 22	iPo	P3 adapters od and MP3 player connection ower	53 53 – 54 54 – 55
Antennas	23 – 28	Pl	hoto / video accessories	56 - 62
Indoor PC Car/Truck Outdoor	24 - 25 26 27 28	Ca	amera bags amcorder and DSLR pods	56 - 59 60 - 6 <sup>2</sup>
		Po	ower supply / charger	63 – 71
TV, audio & video  Control panels and amplifiers Adapter cassettes	29 29 29	For electronic appliances For smartphones, mobile phones, MP3 For cameras and satellite navigation systems For notebooks and netbooks Universal Vivanco special models Plug-in Chargers	r smartphones, mobile phones, MP3 r cameras and satellite navigation systems r notebooks and netbooks	63 64 - 65 65 66
Cleaning & Care	30 – 39		67 – 69 69 – 70	
Flat screen cleaning systems PC cleaning systems Disk cleaning systems VHS cleaning systems Digital photo cleaning systems Desktop, TFT and plasma cleaning systems Others CD/DVD organiser	30 30 - 31 32 32 33 33 33 34 - 39	Ва	utteries	70 – 71
		Po	ower accessories	72 – 84
		Ad So So Ex So Tra Sn RF Tin Niç Otl	acket extensions, standard lapters acket extensions, basic acket extensions, comfort atension cables acket extensions, Professional line avel plugs acket detector / CO detector & accessories accesso	72 - 73 73 - 74 74 - 75 77 - 78 79 - 80 80 - 8 <sup>-</sup> 82 82 83 84



# UNIVERSAL - for each position!

Universal range for all screen sizes and types.



### Key features:

- Full market coverage with only 12 products
- 3 size classes to choose from
- Choice of 4 function types in each size class
- Fast and easy product navigation in store
- Solid, TÜV-approved product quality



### **UNIVERSAL** fixed

# Small light LCD/LED wall mount up to 26"/15kg, fixed made of hardened polyamide

- New: Mount made of very robust polyamide material
- New: Click lock function
- New: Horizontal level correction
- For LCD/LED screens made by 10 26"/25 66cm
- VESA 75/100
- For max. 15kg
- Fixed to the wall
- Distance to wall 18mm
- Weight only 107g
- TÜV approved with three times the maximum load
- High-quality titanium finish

# Medium light LCD/LED wall mount up to 37"/35kg, fixed even for mounting patterns not compliant with VESA

- New: TV arms made of hardened polyamide
- New: Click lock function
- New: Horizontal level correction
- For LCD/LED screens made by 26 37"/66 94cm
- VESA 100/200/300 (variable)
- For max. 35kg
- Fixed to the wall
- Distance to wall 18mm
- Weight only 655g
- TÜV approved with three times the maximum load
- High-quality titanium finish

# Large universal LCD/LED wall mount up to 80"/50kg, fixed even for mounting patterns not compliant with VESA

- New: Click lock function
- New: Horizontal level correction
- For LCD/LED screens made by 40 80"/101 203cm
- VESA 200 600 (variable)
- For max. 50kg
- Fixed to the wall
- Distance to wall 18mm
- Weight only 1,5kg
- TÜV approved with three times the maximum load
- High-quality titanium finish

#### MF 2615 EDP-No. 30660 ctn qty. 15



10" - 26" FIXED











MF 3735 EDP-No. 30661

ctn qty. 10



26" - 37" FIXED













MF 6550 EDP-No. 30662

ctn qty. 4



40" - 80" FIXED













### **UNIVERSAL** tilt

# Small light LCD/LED wall mount up to 26"/15kg, tilt made of hardened polyamide

- New: Mount made of very hardened polyamide

- New: Click lock function

- New: Tilt lock function

- New: Horizontal level correction

- For LCD/LED screens made by 10 - 26"/25 - 66cm

- VESA 75/100

- Tilt up to 15°

- For max. 15kg

- Distance to wall 40mm

- Weight only 243g

- TÜV approved with three times the maximum load

- High-quality titanium finish

# Medium universal LCD/LED wall mount up to 37"/35kg, tilt even for mounting patterns not compliant with VESA

- New: Click lock function

- New: Tilt lock function

- New: Horizontal level correction

- For LCD/LED screens made by 26 - 37"/66 - 94cm

- VESA 100 - 300 (variable)

- Tilt up to  $15^{\circ}$ 

- For max. 35kg

- Distance to wall 32mm

- Weight only 2,3kg

- TÜV approved with three times the maximum load

- Built-in spirit level

- High-quality titanium finish

# Large universal LCD/LED wall mount up to 80"/50kg, tilt even for mounting patterns not compliant with VESA

- New: Click lock function

- New: Tilt lock function

- New: Horizontal level correction

- For LCD/LED screens made by 40 - 80"/101 - 203cm

- VESA 200 - 600 (variable)

- Tilt up to 15°

- For max. 50kg

- Distance to wall 30mm

- Weight only 3,7kg

- TÜV approved with three times the maximum load

- Built-in spirit level

- High-quality titanium finish

#### MT 2615 EDP-No. 30663

ctn qty. 10



10" - 26" TILT













MT 3735 EDP-No. 30664

ctn qty. 4



26" - 37" TILT













MT 6550 EDP-No. 30665



40" - 80" TILT













### UNIVERSAL tilt & swing, single arm

# Small tilt- and swing LCD/LED wall mount up to 26"/15kg, tilt & swing, single arm

- For LCD/LED screens made by 10 26"/25 66cm
- VESA 75/100
- For max. 15kg
- Swing +/-70°
- Tilt +/-13,8°
- 360° rotation / Full level correction
- Distance to wall 75mm 202mm
- Weight only 686g
- TÜV approved with three times the maximum load
- Built-in spirit level
- High-quality titanium finish

# Medium tilt- and swing LCD/LED wall mount up to 37"/35kg, tilt & swing, single arm

- For LCD/LED screens made by 26 37"/66 94cm
- VESA 100/200/300
- For max. 35kg
- Swing +/-70°
- Tilt +/-13,8°
- 360° rotation / Full level correction
- Distance to wall 85mm 210mm
- Weight only 1,7kg
- TÜV approved with three times the maximum load
- Built-in spirit level
- High-quality titanium finish

# Large tilt- and swing LCD/LED wall mount up to 80"/50kg even for mounting patterns not compliant with VESA tilt & swing, single arm

- New: Horizontal level correction
- New: Tilt lock function
- For LCD/LED screens made by 40 80"/102 203cm
- VESA 200 600 (variable)
- For max. 50kg
- Swing +/-40°
- Tilt -3°/+15°
- Distance to wall 50mm 275mm
- Weight 5,3kg
- TÜV approved with three times the maximum load
- Cable management
- High-quality titanium finish

# MS 2615 EDP-No. 30666 ctn qty. 10 10" – 26" SINGLE ARM MS 3735 EDP-No. 30667 ctn qty. 4 26" - 37" SINGLE ARM MS 6550 EDP-No. 30668 ctn qty. 2





### UNIVERSAL tilt & swing, dual arm

#### Small full movement LCD/LED wall mount up to 26"/15kg, tilt & swing, dual arm

- For LCD/LED screens made by 10 26"/25 66cm
- VESA 75/100
- For max. 15kg
- Swing +/-90°
- Tilt +/-13,8°
- 360° rotation / Full level correction
- Distance to wall 75mm 330mm
- Weight only 857g
- TÜV approved with three times the maximum load
- Built-in spirit level
- High-quality titanium finish

#### Medium full movement LCD/LED wall mount up to 37"/35kg, tilt & swing, dual arm

- For LCD/LED screens made by 26 37"/66 94cm
- VESA 100/200/300
- For max. 35kg
- Swing +/-90°
- Tilt +/-13,8°
- 360° rotation / Full level correction
- Distance to wall 85mm 335mm
- Weight only 2,3kg
- TÜV approved with three times the maximum load
- Built-in spirit level
- High-quality titanium finish

#### Large full movement LCD/LED wall mount up to 80"/50kg, tilt & swing, dual arm

- New: Horizontal level correction
- New: Tilt lock function
- For LCD/LED screens made by 40 80"/101 203cm
- VESA 200 600 (variable)
- For max. 50kg
- Swing +/-90°
- Tilt -3°/+15°
- Distance to wall 55mm 540mm
- Weight 6,9kg
- TÜV approved with three times the maximum load
- Cable management
- High-quality titanium finish

#### MA 2615 EDP-No. 30669 ctn qty. 10



10" – 26" DUAL ARM















MA 3735 EDP-No. 30670 ctn qty. 4



26" – 37" DUAL ARM













MA 6550 EDP-No. 30671 ctn qty. 1




























### Titan - fixed

#### Universal TV Wall Bracket, Fixed, For Screen Sizes 26"- 55" / 66- 140 cm

Universal TV Wall Bracket, Fixed, For Screen Sizes 26"- 55" / 66- 140 cm with 2 fixing points only. Ideal for Samsung, Sony and Panasonic TVs with uneven back panel or sockets in the VESA fixing area.

- Fully variable VESA pattern from 100 to 460mm ( max. VESA 400)
- Flexible installation by shiftable wall fixing element
- Easy hook-in of the TV screen
- Horizontal shift
- 26'' 55'' / 66-140 cm
- Max. 35 kg
- Integrated level control
- Wall distance 28 mm
- Incl. wall fixing material
- Color: black / silver
- Made in Europa

#### Universal modern wall mount with space saving "low profile" design LCD and TFT wall mount up to 22" / 15kg, fixed

- Suited for screens made by 10 22" / 25 56cm
- Max. 100 x 100 VESA
- Max. 15kg
- Fixed on the wall
- Distance to wall approx. 16mm
- Integrated theft protection
- High-quality titanium finish

#### Universal modern wall mount with space saving "low profile" design LCD and TFT wall mount up to 37" / 25kg, fixed

- Suited for screens made by 22" 37" / 56 94cm
- Max. 200 x 200 VESA
- Max. 25kg
- Fixed on the wall
- Distance to wall approx. 16mm
- Integrated theft protection
- High-quality titanium finish

#### Universal robust wall mount in 3 parts LCD and plasma TV wall mount up to 47" / 45kg, fixed

- Suited for screens made by 37" 47" / 93 119 cm
- Max. 400 x 400 VESA
- Max. 45kg
- Fixed on the wall
- Distance to wall approx. 30mm
- Integrated theft protection
- High-quality titanium finish

#### Universal robust wall mount in 3 parts LCD and plasma TV wall mount up to 80" / 75kg, fixed

- Suited for screens made by 46" 80" / 116 203 cm
- Max. 800 x 400 VESA
- Max. 75kg
- Fixed on the wall
- Distance to wall approx. 30mm
- Integrated theft protection
- High-quality titanium finish

#### new MF 5535 EDP-No. 34925

ctn qty. 20































MF3210 EDP-No. 25651











MF4210 EDP-No. 25652 ctn qty. 6













MF6310 EDP-No. 25653 ctn qty. 4













#### Titan - tilt

Universal inclinable and swivelling wall mount made of aluminium LCD and TFT wall mount up to 22" / 15kg, inclinable and swivelling

- Suited for screens made by 10 22" / 25 56cm
- Max. 100 x 100 VESA
- Max. 15kg
- +/- 35° swing
- +/- 13,8° tilt
- 360° rotation
- Distance to wall approx. 95mm
- Integrated cable management
- Integrated spirit level and theft protection
- Much lighter than standard steel designs because made of aluminium
- High-quality titanium finish
- Including adapter plate


# Universal inclinable and swivelling wall mount made of aluminium LCD and TFT wall mount up to 37" / 25kg, inclinable and swivelling

- Suited for screens made by 22" 37" / 56 94cm
- Max. 200 x 200 VESA
- Max. 25kg
- +/- 35° swing
- +/- 13,8° tilt
- 360° rotationDistance to wall approx. 96mm
- Integrated cable management
- Integrated cable management
   Integrated spirit level and theft protection
- Much lighter than standard steel designs because made of aluminium
- High-quality titanium finish
- Including adapter plate

## Universal inclinable wall mount LCD and plasma TV wall mount up to 47" / 45kg, inclinable

- Suited for screens made by 37" 47" / 93 119 cm
- Max. 400 x 400 VESA
- Max. 45kg
- +/- 15° tilt
- Distance to wall approx. 62mm
- Integrated spirit level and theft protection
- High-quality titanium finish
- Also for devices with parallel screw fastening









#### Titan - tilt

#### Universal inclinable wall mount LCD and plasma TV wall mount up to 80" / 75kg, inclinable

- Suited for screens made by 46" 80" / 116 203 cm
- Max. 800 x 400 VESA
- Max. 75kg
- +/- 15° tilt
- Distance to wall approx. 72mm
- Integrated cable management
- Integrated spirit level and theft protection
- High-quality titanium finish
- Also for devices with parallel screw fastening

# MT6320 EDP-No. 25657 ctn qty. 2











### Titan - tilt & swing

#### Optimally adjustable wall mount with aluminium swivel arm LCD and TFT wall mount up to 22" / 15kg, inclinable and swivelling

- Suited for screens made by 10 22" / 25 56cm
- Max. 100 x 100 VESA
- Max. 15kg
- +/- 28° inclination range
- Dual joint arm, swivels by 180°
- 360° rotation
- Distance to wall approx. 95 385mm
- Integrated cable management
- Integrated spirit level and theft protection
- Much lighter than standard steel designs because made of aluminium
- High-quality titanium finish

### MA2230 EDP-No. 25658

ctn qty. 4




















#### Optimally adjustable wall mount with aluminium swivel arm LCD and TFT wall mount up to 37" / 25kg, swivel arm, inclinable

- Suited for screens made by 22" 37" / 56 94cm
- Max. 200 x 200 VESA
- Max. 25kg
- +/- 28° inclination range
- Dual joint arm, swivels by 180°
- 360° rotation
- Distance to wall approx. 96 276mm
- Integrated cable management
- Integrated spirit level and theft protection
- Much lighter than standard steel designs because made of aluminium
- High-quality titanium finish

MA3230 EDP-No. 25659 ctn qty. 4






















### Titan - tilt & swing

#### Wall Bracket for Large Flat Screen TV´s, up to 47" / 119 cm, max. 50 kg


Wall bracket for large Flat Screen TV's, dual arm, 32" - 47" / 81 - 119 cm; up to 50 kg, tilt & swing


- For screen diameter of 32" 47" / 81 119 cm
- Max. load: 50 kg
- Swing up to +/- 90°
- Tilt up to  $-2^{\circ}/+10^{\circ}$
- Horizontal level correction up to +/- 6°
- VESA 200 400 (variable)
- Steel construction
- Color: titan
- Distance from the wall: min. 40 mm 450 mm
- With cable management
- Without wall screws and wall plugs
- Incl. colour instruction manual

#### Wall Bracket for Large Flat Screen TV s, up to 80" / 116 cm, max. 50 kg


Wall bracket for large Flat Screen TV's, dual arm, 46" - 80" / 116 - 203 cm; up to 50 kg, tilt & swing

- For screen diameter of 46" 80" / 116 203 cm
- Max. load: 50 kg
- Swing up to +/- 90°
- Tilt up to  $-2^{\circ}/+10^{\circ}$
- Horizontal level correction up to +/- 6°
- VESA 200 800 (variable)
- Steel construction
- Color: titan
- Distance from the wall: min. 40 mm 450 mm
- With cable management
- Without wall screws and wall plugs
- Incl. colour instruction manual









new MA 8050 EDP-No. 33395 ctn qty. 1


















## Professional tilt & swing, dual arm

# Fully adjustable wall mount with aluminium swivel arms $32 - 47^{\circ}/81 - 119$ cm; 35kg

- Dual arm aluminum wall mount
- High degree of mobility
- Low installation weight
- Very smooth motion
- Built-in cable management
- For screens made by 32 47"/81 119 cm
- Max. 400x400 VESA
- For max. 35kg
- Tilt max. +/-15°
- Swing max. +/-90°
- Distance to wall 115mm 572mm


# Elegant wall mount with aluminium double swivel arms $42 - 80^{\circ}/107 - 203 \text{cm}; 75 \text{kg}$

- Dual arm aluminum wall mount
- High degree of mobility
- Low installation weight
- Very smooth motion
- Built-in cable management
- For screens made by 42 80"/107 203cm
- Max. 800x500 VESA (variable)
- For max. 75kg
- Tilt max. +/-15°
- Swing max. +/-60°
- Distance to wall 105mm 550mm

MP 4735 EDP-No. 26938 ctn qty. 2




















MP 6350 EDP-No. 26939



















### **Fast-moving range**

#### Simple fixed wall mount for screens up to 32"/81cm

- Suited for screens made by 10 32"/25cm 81cm
- Max. 200 x 200 VESA
- For max. 20kg
- Fix at the wall
- Incl. fastening screws for the TV screen
- Colour: black

#### Simple fixed wall mount for screens up to 40"/101cm

- Suited for screens made by 32 40"/81 101cm
- Max. 400 x 400 VESA
- For max. 35kg
- Fix at the wall
- Incl. fastening screws for the TV screen
- Colour: black

#### Simple fixed wall mount for screens up to 55"/139cm

- Suited for screens made by 40 55"/101 139cm
- Max. 600 x 400 VESA
- For max. 50kg
- Fix at the wall
- Incl. fastening screws for the TV screen
- Colour: black

#### Simple fixed wall mount for screens up to 80"/203cm

- Suited for screens made by 55"-80"/139cm-203cm
- Max. 800 x 400 VESA
- For max. 65kg
- Fix at the wall
- Incl. fastening screws for the TV screen
- Colour: black

#### Tiltable wall mount for screens up to 32"/81cm

- Suited for screens made by 10 32"/25 81cm
- Max. 200 x 200 VESA
- For max. 25 kg
- 2.0 mm thickness cold steel
- Tilt angle: 15° (continuously adjustable)
- Incl. fastening screws for the TV screen
- Colour: black

WF 3225 EDP-No. 33384 ctn qty. 20



NF 4035 EDP-No. 33385

ctn qty. 10



new WF 5550 EDP-No. 33386

ctn qty. 10



NEW WF 8065 EDP-No. 33387

ctn qty. 10



WT 3225 EDP-No. 33388





### **Fast-moving range**

#### Tiltable wall mount for screens up to 40"/101cm

- Suited for screens made by 32"-40"/81cm-101cm
- Max. 400 x 400 VESA
- For max. 35kg
- Tilt angle: 12° (continuously adjustable)
- Incl. fastening screws for the TV screen
- Colour: black

#### Tiltable wall mount for screens up to 55"/139cm

- Suited for screens made by 40 55"/101 139cm
- Max. 600 x 400 VESA
- For max. 50kg
- Tilt angle: 12° (continuously adjustable)
- Incl. fastening screws for the TV screen
- Colour: black

#### Tiltable wall mount for screens up to 80"/203cm

- Suited for screens made by 55"-80"/139cm-203cm
- Max. 800 x 400 VESA
- For max. 65kg
- Tilt angle: 12° (continuously adjustable)
- Incl. fastening screws for the TV screen
- Colour: black

#### Tilt & swing wall mount for screens up to 32"/81cm

- Suited for screens made by 10" 32"/25 81cm
- Max. 200 x 200 VESA
- For max. 15 kg
- Tilt angle: +/- 15° (continuously adjustable)
- Rotary joint +/- 15° (continuously adjustable)
- Steel construction
- Incl. fastening screws for the TV screen
- Colour: black

#### Articulated wall mount for screens up to 32"/81cm $\,$

- Suited for screens made by  $10 32^{\circ}/25 81$ cm
- Max. 200 x 200 VESA
- For max. 20kg
- Tilt angle: 10° (continuously adjustable)
- 2x rotary joints +/-90°, continuously adjustable
- Incl. fastening screws for the TV screen
- Colour: black

WT 4035 EDP-No. 33389 ctn qty. 5



WT 5550 EDP-No. 33390

ctn qty. 5



WT 8065
EDP-No. 33391
ctn qty. 5

WM 3215 EDP-No. 33392









### **Fast-moving range**

Wall bracket for medium sized flat screen TV  $\rm \acute{s},$  up to 119cm / 47", max. 25 kg black

Tilt & swing TV wall bracket for LCD and LED screens up to 119cm / 47'', 25 kg max.

- 32" 47'' / 81 119cm
- Max. 400 x 400 VESA
- Max. 25 kg
- Swivel angle +/- 90°
- Tilt angle: +3°/- 15°
- Horizontal level correction +/- 3°
- Wall distance 70 280 mm
- Cable management

Wall bracket for large sized flat screen TV  $\rm \acute{s}$  , up to 140 cm / 55", max. 45 kg black

Tilt & swing TV wall bracket for LCD and LED screens up to 140 cm / 55 $^{\prime\prime}$ , 45 kg max.

- 40" 55" / 101 140 cm
- Max. 600 x 400 VESA
- Max. 45 kg
- Swivel angle +/- 90°
- Tilt angle: +3°/- 15°
- Horizontal level correction +/- 3°
- Wall distance 70 320 mm
- Cable management

Wall bracket for extra large sized flat screen TV´s, up to 203cm / 80", max. 45 kg black

Tilt & swing TV wall bracket for screens up to 203cm / 80", 45 kg max.

- 40" 80" / 101 203cm
- Max. 800 x 400 VESA
- Max. 45 kg
- Swivel angle +/- 90°
- Tilt angle: +3°/- 15°
- Horizontal level correction +/- 3°
- Wall distance 70 320 mm
- Cable management







# CABLE MANAGEMENT



### Cable cover D-Line

16/8 D-profil white 4x 1,0m lenght (EDP 26454)

30/15 D-profil white 2x 1,0m lenght (EDP 26455)

50/25 D-profil 1x 1,0m lenght (EDP 26456/26457)

- Easy to handle and fit
- Self-adhesive backing
- High-quality material/easy to trim
- No more opening of walls
- Allows routing of cables at a later time
- Easy to open, engages easily and precisely when closed
- Decorativ design
- Rounded D-profile/no accumulation of dust
- Can be painted
- No bending and warping
- UV-proof
- Protected against water jets and dust (no ingression of dust at a vacuum of 20mmbar) acc. to IP65 standard
- Can be installed in bathroom, kitchen or outdoors
- Temperature range -33°C to +60°C >Flameproof
- Modular system/adapters available
- Bends and connectors available
- Can be easily routed, even in corners
- Routing of T-connectors









#### 16/8 or 30/15 Set of connectors white

- No more opening of walls
- Allows routing of cables at a later time
- Decorativ design
- Can be painted
- Can be easily routed, even in corners
- Routing of T-connectors
- No bending and warping
- UV-proof
- Protected against water jets and dust (no ingression of dust at a vacuum of 20mmbar) acc. to IP65 standard
- Can be installed in bathroom, kitchen or outdoors
- Temperature range -33°C to +60°C -> Flameproof
- Open back allows mounting over existing cables

## Adapter set 26458 (suits article 26454)

consisting of:

- 2x inner bends
- 2x outer bends
- 2x 90° bends
- 2x end pieces2x T-adapters
- 3x extensions

### Adapter set 26459

(suits article 26455) consisting of:

- 2x inner bends
- 2x outer bends
- 1x 90° bends
- 2x end pieces
- 2x T-adapters1x extensions

#### D-16/8 W Kit EDP-No. 26458

ctn qty. 1 / Set:16/8





# D-30/15 W Kit EDP-No. 26459

ctn qty. 1 / Set: 30/15





# **FURNITURE**

### **TV Furniture**

#### B Series 800 - Attractive and functional TV rack black

The attractive blend of high gloss tempered glass and matching aluminium legs make this range suitable for all living environments.

With a gentle front curve, soft glass edges and integrated cable management this piece is a simple, functional and attractive option for any type of television.

- High quality manufacturing
- Integrated cable management
- Dimensions:

B-800B / EDp-No. 26061: W 80 cm x H 50 cm x D 40 cm B-1000B / EDP-No. 26063: W 100 cm x H 50 cm x D 40 cm



B-1000B EDP-No. 26063

ctn qty. 1



#### T Series - Curved structure TV rack black

The beautiful long and low design of the T Series is perfectly suited to the larger screens available on the market today. The stunning high gloss piano black finish is applied to the single piece, curved wood structure to make the T Series a design driven statement piece that stands out among other stands available today.

Capable of supporting a wide range of screens and with ample space for AV equipment, the T Series combines the functionality of a traditional AV rack while fitting beautifully into any living environment.

- High quality manufacturing
- Curved structure with high gloss finish
- W 120 cm x H 38,4 cm x D 38,5 cm

#### T-1200B EDP-No. 30033



## **FURNITURE**

### **TV Furniture**

#### R Series - Stylish TV rack black

This contemporary twist on the classic, open rack design offers a soft, stylish approach to AV support furniture. The stunning gloss black glass is paired with matt black legs to give an exceptional finish that will complement the latest designs for Plasma and LCD Televisions. The all curved design provides a subtlety that is often missing from traditional stands, and with the ability to hold up to 6 pieces of equipment, with integrated cable management and a high-strength frame, the R Series has outstanding functionality.

- High quality manufacturing
- Integrated cable management
- High-strength frame
- Holds up to 6 pieces of equipment
- W 80 cm x H 50,4 cm x D 45 cm

#### R-800B EDP-No. 30034

ctn qty. 1



#### V Series - TV rack in elegant design black

The sleek, elegant design of the V Series really makes it stand out in a crowd. Its unique soft V shape offers an alluring option for anyone wanting a practical AV stand with a stylish look that would suit most modern homes. The concealed fixings provide the V Series with a smooth, classy finish that can really create a focal point in the room. With a chunky base for stability, additional stability supports included and 10mm tempered glass, this piece provides a strong, safe approach to AV storage while still maintaining an outstanding, eye-catching design.

- High quality manufacturing
- Concealed fixings provide a smooth, classy finish
- Additional stability supports included and 10mm tempered glass
- W 100 cm x H 46,4 cm x D 39 cm

#### V-1000B EDP-No. 31142





# REMOTE CONTROLS



# 3in1 universal remote control for TV, SAT/DVB, DVD/Blu Ray

- High-quality 3in1 remote control
- Sits comfortably in the hand due to its unique ergonomic design
- Sophisticated design and high functionality due to recessed keys
- Agreeable white backlight
- Backlit display for device display
- For all popular major brand devices
- Preprogrammed for TVs, beamers, set-top boxes, digital and analogue SAT receivers, DVB-T, DVD, Blu Ray DVD and video recorders
- Controls all frequently used functions, also EPG guide, 16:9, menus, video text, fast text, language, timer, etc.
- Automatic code search function
- Batteries: 3x AAA, not supplied

UR 2300 EDP-No. 26758 ctn qty. 5



#### 2in1 universal ultra-slim remote control

- Super flat design
- Replaces up to 12 originial remote controls
- For TV, beamer, SAT receiver, DVBT Set top box, DVD player and recorder, CD player, VCR and many more
- Automatic code search
- Preprogrammed for numerous brands
- Ideal substitute for lost or defective remote controls
- Easy to use and easy setup
- Battery CR2032 included

new UR 12 N EDP-No. 34874

ctn qty. 5 / silver

**NEW UR 12 BN** EDP-No. 34875

ctn qty. 5 / black







# **REMOTE CONTROLS**

#### Universal 8in1 remote control

- Controls almost all well-known brands devices
- TV, set top boxes, digital and analog satellite receivers, DTT, DVD players and recoders, video recorders, CD player, Hifi systems, etc.
- Controls all frequently used functions also video text, fasttext, EPG, etc.
- Controls up to 8 different devices
- Extra menu keys
- Code search function for finding not code listed devices
- Punch through: controls sound also on VCR level
- Compatible with Pay TV
- Batteries or high-performance rechargeable batteries: 2x AAA not supplied

#### Universal 8in1 remote control

- Controls all well-known brands devices
- TV, set top boxes, digital and analog satellite receivers, DTT, DVD players and recoders, video recorders, CD player, Hifi systems, etc.
- Controls all frequently used functions also video text, fasttext, EPG, etc.
- Controls up to 8 different devices
- Trendy silver colour
- Extra menu keys
- Code search function for finding not code listed devices
- Punch through: controls sound also on VCR level
- Batteries or high-performance rechargeable batteries: 2x AAA not supplied

#### 2in1 TV/DVB universal remote control silver

- TV and DVB (DTT, DVB-S (sat), DVB-C (cable) or analog (sat)
- Extra large buttons for easy operation
- Code search for finding devices not included in the code list
- Controls most used functions
- Adjustable punch-through sound control (TV sound can also be controlled at DVB level without changing the equipment level)
- Batteries (not included): 2x AA

#### 2in1 TV/DVB universal remote control

- TV and DVB (DTT, DVB-S (sat), DVB-C (cable) or analog (sat)
- Replaces defective or lost original remote control devices.
- Compact, sits neatly in the hand
- Code search for finding devices not included in the code list
- Controls a range of functions, including video text and menus, on almost all equipment brands
- Adjustable punch-through sound control (TV sound can also be controlled at DVB level without changing the equipment level)
- Batteries (not included): 2x AAA cells or Vivanco Eco.Bat. rechargeable batteries

UR 89 EDP-No. 21966 ctn qty. 5







UR 2 EDP-No. 19696 ctn qty. 5



### Innovative concept for DVB-T antennas

Vivanco presents a new innovative concept for DVB-T antennas. Apart from performance and design, the main focus is on the actual real-life usage.

The new guidance system facilitates the search for the antenna which best suits a consumer's requirements, allowing anybody to find the product most suitable for them easily and quickly.

The answer to the question: which is the right antenna?

#### Good / Better / Best

Vivanco antennas are categorised in the three ranges Good, Better, and Best. This categorisation also refers to the reception quality. The farther away from the transmission tower, the better the quality of the antenna should be.

#### Best

- Very high reception quality, top amplification, premium accessories kit
- → Optimal for operation in areas with poor reception

#### Better

- High reception quality, high amplification, basic accessories kit
- → For operation in areas with average to good reception

#### Good

- Good reception quality with good amplification characteristics
- → Optimal for areas with good reception

### The segments

The product range is divided into four basic application ranges: Indoor, PC, Car/Truck and Outdoor. Vivanco's DVB-T antennas were specially optimised for these areas of application.

#### Indoor

- For indoor use such as in rooms or flats

#### PC

Specially optimised for use with PCs and for mobile application with notehooks

#### Car/Truck

- For use on a 12 V onboard network of cars, trucks or caravans

#### Outdoor

 For outdoor use, for example for installation on house walls or on cara vans







#### Design down to the finest details!

The Vivanco Design line combines aesthetics and function in extraordinary products. The subtle understatement, the clear lines and the above-average performance make these products something special.

#### Indoor

#### Full HD indoor antenna

- Full HD TV reception, DVB-T and DVB-T2, DAB radio
- The most innovating 48dB amplification technology for an optimal amplification of terrestrial TV signals
- Auto-gain control automatic setting of the best amplification factor
- Active low-noise technology for extremely clear reception
- Multi-direction 360° system increases reception capacities
- Highest level of flexibility: positioning or wall assembly possible
- Eco-Switch: OFF instead of only STANDBY, save power by switch-on and
- Current supply by power supply, USB connection or DVB-T receiver
- UHF, VHF

#### Full HD indoor antenna

- Full HD TV reception, DVB-T and DVB-T2, DAB radio
- The most innovating 46dB amplification technology for an optimal amplification of terrestrial TV signals
- Auto-gain control automatic setting of the best amplification factor
- Active low-noise technology for extremely clear reception
- For optimal horizontal reception
- Highest level of flexibility: positioning or wall assembly possible
- Current supply by power supply or DVB-T receiver
- Ultra-Flat Design
- Outstanding antenna suits well to current Flat-TV modelss
- UHF, VHF

#### Full HD indoor antenna

- For analogue and digital TV reception, DVB-T, DVB-T2, DAB-radio and
- The most innovating 42 dB amplification technology for an optimal amplification of terrestrial TV signals
- Variable amplification performance for a perfect reception setting
- Active low-noise technology for extremely clear reception
- Additional telescopic antennas for ideal VHF and UKW reception
- For optimal horizontal and vertical reception
- Eco-Switch: OFF instead of only STANDBY, save power by switch-on and
- Current supply by power supply, USB connection or DVB-T receive

TVA 402 EDP-No. 29947

ctn qty. 10











ctn qty. 10















Design















#### A high demand on daily TV viewing

The segment offers optimum solutions for DVB-T receivers and for TV sets with integrated DVB-T module. The antennas also offer FM radio reception. Their distinctive features are flexibility and functionality.

### Indoor

#### Indoor antenna

- For analogue and digital TV reception, DVB-T, DVB-T2, DAB-radio and FM-radio
- The most innovating 46dB amplification technology for an optimal amplification of terrestrial TV signals
- Variable amplification performance for a perfect reception setting
- Active low-noise technology for extremely clear reception
- 2 additional telescopic antennas for ideal VHF and UKW reception
- Eco-Switch: OFF instead of only STANDBY, save power by switch-on andswitch-off
- Current supply by power supply or DVB-T receiver

#### Indoor antenna

- For analogue and digital TV reception, DVB-T, DVB-T2, DAB-radio and FM-radio
- The most innovating 40dB amplification technology for an optimal amplification of terrestrial TV signals
- Variable amplification performance for a perfect reception setting
- 2 additional telescopic antennas for ideal VHF and UKW reception
- Eco-Switch: OFF instead of only STANDBY, save power by switch-on and switch-off
- Current supply by integrated power supply unit

#### Indoor antenna, passive

- For analogue and digital TV reception, DVB-T, DVB-T2, DAB-radio and FM-radio
- Passive increase of terrestrial TV signals
- 2 additional telescopic antennas for ideal VHF and UKW reception

#### DVB-T indoor antenna with amplifier and power adapter, 22 dB

- Aerial for analogue and digital TV reception, DVB-T, DVB-T2, DAB Radio and FM Radio
- Also for Notebook Computers with DTT receivers
- UHF and VHF
- Plug & Play system
- Multi directional antenna, no adjustment needed
- Gain: VHF / UHF: 22 dB
- Frequency range: VHF 174 230 MHz; UHF: 470 862 MHz
- To be powered by DTT receiver (5V=, 40 mA) via aerial cable or optional power adapter 230V / 50 Hz (included)
- Dimensions: 37.0 x 7.8 x 5.8 cm
- Coax cable: 1.45 m with IEC plug

TVA 302 EDP-No. 29950

ctn qty. 10















TVA 301 EDP-No. 29951

ctn qty. 10













TVA 300 EDP-No. 29952

ctn qty. 10











TVA 3005 EDP-No. 29962

















#### Digital TV on your computer!

You can watch high-quality DVB-T television, not only on your stationary home PC but also on your notebook PC during mobile usage. Due to their extremely compact design and optimisation for mobile reception, the PC antennas are your perfect companion when you are travelling. When connected to your DVB-T stick or the TV card, the antennas provide an excellent television signal.

#### PC

#### Mobile PC indoor antenna

- For analogue and digital TV reception, DVB-T and DVB-T2, DAB radio
- The most innovating 36dB amplification technology for an optimal amplification of terrestrial TV signals
- Active low-noise technology for extremely clear reception
- For optimal horizontal and vertical reception
- Ultra slim design: extremely compact and flat design for different positioning options
- Perfectly suitable for outdoor use and equipped with DVB-T reception component on the PC/notebook
- Current supply by power supply, USB connection or DVB-T receiver

### TVA 201 EDP-No. 29957

TVA 202

EDP-No. 29956 ctn qty. 10

compatible DV3T° DV3T2°

DAB DIGITAL

ctn qty. 10





#### Mobile PC indoor antenna

- For analogue and digital TV reception, DVB-T and DVB-T2, DAB radio
- The most innovating 35dB amplification technology for an optimal amplification of terrestrial TV signals
- Active low-noise technology for extremely clear reception
- For optimal horizontal and vertical reception
- Flexi-mount: extremely compact and flexible design for different positioning options
- Perfectly suitable for outdoor use and equipped with DVB-T reception component on the PC/notebook
- Current supply by power supply, USB connection or DVB-T receiver

### Mobile PC indoor antenna, passive

- For analogue and digital TV reception, DVB-T and DVB-T2, DAB radio
- Passive increase of terrestrial TV signals
- Omnidirectional: no adjustment required
- Perfectly suitable for outdoor use and equipped with DVB-T reception component on the PC/notebook















#### Television for people who are on the go

No matter whether in the car, the mobile home or the truck, the CAR/TRUCK antennas ensure optimum reception even there. The active antennas have a 12 V power input for the car onboard network and offer a much higher reception quality than conventional passive standard antennas.

### Car/Truck

#### Car indoor antenna

- For analogue and digital TV reception, DVB-T and DVB-T2, DAB radio
- The most innovating 35dB amplification technology for an optimal amplification of terrestrial TV signals
- Active low-noise technology for extremely clear reception
- For optimal horizontal and vertical reception
- Flexi-mount: extremely compact and flexible design for different positioning options
- Perfectly suitable for applications in the car/truck (12V) for devices with DVB-T reception component
- Current supply by 12V car network or DVB-T receiver

#### TVA 101 EDP-No. 29959 ctn qty. 10







#### Car indoor antenna

- For analogue and digital TV reception, DVB-T and DVB-T2, DAB radio
- The most innovating 18dB amplification technology for an optimal amplification of terrestrial TV signals
- Omnidirectional: no adjustment required
- Perfectly suitable for applications in the car/truck (12V) for devices with DVB-T reception component
- Current supply by 12V car network or DVB-T receiver













#### Reception problems?

Outdoor antennas offer the perfect solution when reception in your apartment is very poor or even impossible. Purposeful and weatherproof, they receive television signals you cannot receive inside the house or apartment. This lets you easily blank out structural obstacles.

### **Outdoor**

#### Outdoor roof antenna, passiv

- For analogue and digital TV reception, DVB-T and DVB-T2, DAB radio
- Passive increase of 28dB for terrestrial TV signals
- Wideband UHF reception
- Long-distance reception: extraordinary reception by pinpoint adjustment
- Easy installation: Very easy assembly with device for mast assembly
- Waterproof dipole box with F plug
- With triple cross beam and balun for signal optimisation

# TVA 502 EDP-No. 29953 ctn aty. 1 1080pt DV3T DV3T2





#### Outdoor antenna

- For analogue and digital TV reception, DVB-T and DVB-T2, DAB radio
- The most innovating 48dB amplification technology for an optimal amplification of terrestrial TV signals
- Auto-gain control: automatic setting of the best amplification factor
- Active low-noise technology for extremely clear reception
- Multi-direction 360° system increases reception capacities
- Highest level of flexibility: positioning, wall or mast assembly possible
- Perfectly suitable for external applications and for caravans and mobile homes
- Current supply by power supply or DVB-T receiver
- Suitable for all weather conditions
- Included cable for antenna of 8.5m

#### TVA 501 EDP-No. 29954

ctn atv. 5













#### Outdoor antenna

- For analogue and digital TV reception, DVB-T and DVB-T2, DAB radio
- The most innovating 42dB amplification technology for an optimal amplification of terrestrial TV signals
- Active low-noise technology for extremely clear reception
- Multi-direction 360° system increases reception capacities
- Highest level of flexibility: positioning, laying, wall and mast assembly possible
- Perfectly suitable for external applications and for caravans and mobile homes
- Current supply by power supply or DVB-T receiver
- Suitable for all weather conditions
- Included cable for antenna of 8.5m

### TVA 500 EDP-No. 29955













# TV / AUDIO / VIDEO

### **Control panels and amplifiers**

#### Manual 4 way HD audio visual switching unit, 4 -> 1

- Manual 4to1 HDMI switcher for high-resolution television
- Simple one source connections to HD/BD DVD players and recorders, Sky HD, DVB, SetTopBox, Playstation 3 and more
- HDMI TV connection
- HDMI 1.3 compliant
- HDCP copy protection
- Sockets are gold plated for superior signal transfer
- Inputs: 4x HDMI
- Output: 1x HDMI
- Single link range: 480i/480p/720i/720p/1080i/1080p
- HDMI 1.3 compliant, HDCP copy protection
- Bandwidth: up to 10.2Gbps/400MHz

#### Manual 2 way HD audio visual switching unit, 2 -> 1

- Manual 2to1 HDMI switcher for high-resolution television
- Simple one source connections to HD/BD DVD players and recorders, Sky HD, DVB, SetTopBox, Playstation 3 and more
- HDMI TV connection
- HDMI 1.3 compliant
- HDCP copy protection
- Inputs: 2x HDMI
- Output: 1x HDMI
- Single link range: 480i/480p/720i/720p/1080i/1080p
- HDMI 1.3 compliant, HDCP copy protection
- Bandwidth: up to 10.2Gbps/400MHz

#### AV connector 3, 3 channel RGB AV switch box with copy facility, 3 -> 1 (2)

- For connection of up to 3 AV devices (program sources) to a single TV set
- Easy connection of DVD players and recorders, SAT receivers, DVB-T receivers, video recorders, DVD recorders, camcorders, digital photo cameras etc.
- Scart TV socket and TV phono sockets
- Additional AV phono outputs from TV
- Additional audio outputs to Hifi or home cinema systems
- Recorder copy function (composite video, S-video)
- Manual input selection
- RGB, S-Video (Y/C), composite video at all sockets

#### Phono pre-amplifier

- For connection of record players; adapter for all equipment lacking a phono input
- Converts line, Aux, Tape, MC, CD, tuner inputs to phono inputs for record players
- Phono to high level signal converter
- Also for multimedia PCs
- The ideal solution to connect analogue record players to a PC
- Mains adaptor included

#### Microphone pre-amplifier

- Expands equipment such as mixers by an additional microphone input
- For devices without or insufficient microphone inputs
- Impedance control
- For all receivers, amplifiers, mixers or sound cards at the PC
- Mains adaptor included

### **Adapter cassettes**

#### Car adapter cassette

- For connecting portable CD, DAT, minidisc, DCC as well as MP3 playback devices to car radios with tape decks
- 3.5mm mono plug, stereo

HD 4.1 manu 1.3 EDP-No. 25350

ctn qty. 5







HD 2.1 manu 1.3 EDP-No. 25349

ctn qty. 5







SBX 84 EDP-No. 16876

ctn qty. 5



PA 115 EDP-No. 30338

ctn qty. 5



MA 225 EDP-No. 30339

ctn qty. 5



ACA 35 EDP-No. 26954 ctn qty. 5



### Flat screen cleaning systems

#### Cleaning system for LCD, TFT, Plasma and LED

- Antistatic brush removes dust
- Alcohol free, drip resistant fluid safely loosens dirt and grime
- 150ml of fluid gives approximately 100 applications
- Supersize: 30cm x 30cm, microfiber cloth for streak free cleaning, washable – for extended usuage

#### Cleaning solution suitable for LCD, TFT, Plasma and LED

- Alcohol free, drip resistant fluid safely loosens dirt and grime
- 150ml of fluid gives approximately 100 applications

#### Supersize microfiber cloth for LCD, TFT, Plasma and LED

- Supersize: 36cm x 36cm, suitable for large screens
- Washable for extended usuage

#### Cleaning system for LED, LCD, TFT and OLED

- Antistatic
- Integrated, anti bacterial treated cloth pad leaves screen smudge free
- 200ml cleaning solution for app. 100 applications

#### FS1 EDP-No. 26955 ctn qty. 10



FS2 EDP-No. 26956 ctn qty. 10

FS3 EDP-No. 26957 ctn qty. 20



FS4 EDP-No. 32435 ctn qty. 10



### **PC** cleaning systems

#### Cleaning system for PC monitor and keyboard

- Antistatic brush removes dust
- Alcohol free, drip resistant fluid safely loosens dirt and grime
- 150ml of fluid gives approximately 100 applications
- 30 x 30cm, microfiber cloth for streak free cleaning, washable – for extended usuage
- Dedicated keyboard cleaning pen with 3 spare heads

#### Cleaning solution suitable for all PC monitors

- Alcohol free, drip resistant fluid safely loosens dirt and grime
- 150ml of fluid gives approximately 100 applications

PC2 EDP-No. 26959 ctn qty. 10



PC3 EDP-No. 26960 ctn qty. 10



### PC cleaning systems

#### Air duster

- Air duster specially developed for keyboards, printers and disc drives
- Removes dust even in inaccessible areas
- Also for overhead application
- Contents: 125ml e

#### Keyboard cleaner

- Keyboard cleaning pen
- Surface cleaning fluid
- 3 spare cleaning heads

#### Laptop cleaning system

- Cleaning system suitable for laptops and mini notebooks
- Antistatic brush removes dust
- Alcohol free, drip resistant fluid safely loosens dirt and grime from screen
- 60ml of fluid gives approximately 50 applications
- 30 x 30cm, Microfiber cloth for streak free cleaning, washable for extended usuage
- Convenient storage case

#### Cleaning tissues for LCD, TFT and LED screens

- 100 moist cleaning tissues supplied in dispensing tub
- Practical, reclosable dispenser box
- Cleaning liquid is free of alcohol (not inflammable)
- Avoid scratches and smudge
- Safely removes dust and dirt
- Rapid drying and antistatic characteristics
- For LCD, TFT, LED, plasma, laptop, flat screens, PDA and all glass surfaces

#### PC CD/DVD lens cleaner

- 2 brush cleaning system
- Brush and cleaning fluid cleans laser optics in your CD/DVD drive


#### Notebook and Tablet Cleaning kit

- Antistatic
- Microfibre cloth formulated for all notebooks and tablet computers
- 100ml cleaning solution for app. 50 applications

PC1 EDP-No. 26958 ctn qty. 12



PC4 EDP-No. 26961 ctn qty. 20



PC6 EDP-No. 26963 ctn qty. 10



PC8 EDP-No. 26965 ctn qty. 12



PC9 EDP-No. 26966 ctn qty. 10



PC10 EDP-No. 32434 ctn qty. 20



### Disc cleaning systems

#### Lens cleaner for DVD

- Six fine cleaning brushes gently removes dirt from the main head of DVD drive
- Restores original sound and picture quality
- Audio and video animations for checking picture and surround sound

#### Lens cleaner for Blu-ray

- Twelve fine cleaning brushes gently removes dirt and dust
- Restores original sound and picture quality
- Audio and video animations for checking picture and surround sound

#### Radial disc cleaner

- Safely cleans both disc and disc drive
- Rotating microfiber cleaning pad gently removes dirt from disc surface
- Laser lens cleaning disc

DC1 EDP-No. 26967 ctn qty. 10

DC2 EDP-No. 26968 ctn qty. 10

DC3 EDP-No. 26969 ctn qty. 10



### VHS cleaning systems

#### VHS head cleaner

- VHS and S-VHS head cleaner
- Cleaning tape and fluid gently cleans tape head
- Cleaning fluid for approximately 50 applications

DC6 EDP-No. 26971 ctn qty. 10



### Digital photo cleaning systems

#### Cleaning system for digital cameras and camcorders

- Suitable for digital cameras and camcorders
- 3in1 cleaning pen with brush and cleaning pads for both lens and screen
- Dedicated optical lens fluid

#### DV camcorder head cleaner

- Head cleander for DV camcorder
- Dry cleans the head
- Improves video and audio quality

DP1 EDP-No. 26972 ctn qty. 20







### **Desktop cleaning systems**

#### Alcohol free cleaning spray for LED/LCD/TFT, Plasma

The cleaning liquid is alcohol free and environmentaly-friendly. A professional cleaner for smooth cleaning of sensitive TFT and LCD monitors. Also suited for all coated and uncoated glass surfaces. Simply spray it onto the enclosed cleaning cloth, wipe the screen and polish with a dry cloth. The cleaning liquid is alcohol free and environmentaly-friendly. Bottle contains 200ml.

TFT SC 200 EDP-No. 24015 ctn qty. 8



#### Cleaningset for LED/LCD/TFT and Plasma

- Cleaning brush with antistatic effect removed effectively dust, dirt and dabs
- Cleaning liquid without alcohol: ensured smooth cleaning of sensitive screen surfaces
- Special micro fibre cloth enabled a gentle cleaning and drying, the softly material avoid scratches and smudge
- Convenient storage case

TP CLS 04 EDP-No. 23897 ctn qty. 10



### **Others**

#### Pen for writing on CDs (4 colours)

- CD marker with 4 colours for permanent writing on CD, DVD, Blu-ray
- Indelible, water resistant special ink on waterbasis

CD IPN4 EDP-No. 26953 ctn qty. 12



#### Car adapter cassette

- Connects MP3 players and other portable audio devices to the car cassette player
- 3.5mm stereo plug
- With Auto-Reveres function

ACA 35 EDP-No. 26954 ctn qty. 10



### **CD-ORGANISER**

### For CD & DVD

#### CD/DVD Jewel Case, 5pcs., black

- Break-proof material
- For 1 CD/CD-ROM/DVD each + Booklet
- Shrink wrapped in a pack of 5 pcs.
- Size: 124 x 142 x 50mm

#### CD/DVD Jewel Case, 5pcs., clear

- Break-proof material
- For 1 CD/CD-ROM/DVD each + Booklet
- Shrink wrapped in a pack of 5 pcs.
- Size: 124 x 142 x 50mm

#### CD/DVD Jewel Case, 10pcs., black

- Break-proof material
- For 1 CD/CD-ROM/DVD each + Booklet
- Shrink wrapped in a pack of 10 pcs.
- Size: 124 x 142 x 100mm

#### CD/DVD Jewel Case, 10pcs., clear

- Break-proof material
- For 1 CD/CD-ROM/DVD each + Booklet
- Shrink wrapped in a pack of 10 pcs.
- Size: 124 x 142 x 100mm

#### CD/DVD Slim Case, 10pcs., black

- Break-proof material
- For 1 CD/CD-ROM/DVD each + Booklet
- Shrink wrapped in a pack of 10 pcs.
- Size: 124 x 142 x 55mm

#### CD/DVD Slim Case, 10pcs., clear

- Break-proof material
- For 1 CD/CD-ROM/DVD each + Booklet
- Shrink wrapped in a pack of 10 pcs.
- Size: 124 x 142 x 55mm

#### CD/DVD Slim Case, 15pcs., 3 colours

- Break-proof material
- For 1 CD/CD-ROM/DVD each + Booklet
- Shrink wrapped in a pack of 15 pcs., assorted in 3 colours: blue, orange, red
- Size: 125 x 143 x 80mm

#### CD/DVD Slim Case, 25pcs., black

- Break-proof material
- For 1 CD/CD-ROM/DVD each + Booklet
- Shrink wrapped in a pack of 25 pcs.
- Size: 125 x 143 x 137mm

#### CD/DVD Slim Case, 25pcs., clear

- Break-proof material
- For 1 CD/CD-ROM/DVD each + Booklet
- Shrink wrapped in a pack of 25 pcs.
- Size: 125 x 143 x 137mm

#### CD CASE 5B EDP-No. 31691

ctn qty. 40

#### CD CASE 5C EDP-No. 31692

ctn qty. 40

#### CD CASE 10B EDP-No. 31693

ctn qty. 10

#### CD CASE 10C EDP-No. 31694

ctn qty. 10

#### CD SLIM 10B EDP-No. 31695

ctn qty. 10

#### CD SLIM 10C EDP-No. 31696

ctn qty. 20

#### CD SLIM 15 EDP-No. 31697

ctn qty. 20

# CD SLIM 25B EDP-No. 31698

ctn qty. 8

# CD SLIM 25C EDP-No. 31699



















### CD-ORGANISER

### For CD & DVD

#### CD/DVD Slim Case, 25pcs., 5 colours

- Break-proof material
- For 1 CD/CD-ROM/DVD each + Booklet
- Shrink wrapped; 25 pcs. assorted colours: pink, purple, blue, orange, green
- Size: 125 x 143 x 137mm

#### CD/DVD Slim Case, 50pcs., black

- Break-proof material
- For 1 CD/CD-ROM/DVD each + Booklet
- Shrink wrapped in a pack of 50 pcs.
- Size: 125 x 143 x 275mm

#### CD/DVD Double Jewel Case, 5pcs., black

- Break-proof material
- For 2 CD's/CD-ROM's/DVD's each + Booklet
- Shrink wrapped in a pack of 50 pcs.
- Size: 124 x 142 x 47mm

#### CD/DVD Double Jewel Case, 5pcs., clear

- Break-proof material
- For 2 CD's/CD-ROM's/DVD's each + Booklet
- Shrink wrapped in a pack of 50 pcs.
- Size: 124 x 142 x 47mm

#### CD/DVD Jewel Case for 4 CD's/DVD's, black

- Break-proof material
- For 4 CD's/CD-ROM's/DVD's each + Booklet
- Shrink wrapped
- Size: 124 x 142 x 24mm

#### CD/DVD Jewel Case for 6 CD's/DVD's, clear

- Break-proof material
- For 6 CD's/CD-ROM's/DVD's each + Booklet
- Shrink wrapped
- Size: 124 x 142 x 24mm

#### CD/DVD Cover, 25pcs., clear

- Clear plastic cover for storing CD's/DVD's
- For 1 CD/DVD each
- Made of heat-resistant PP-Material
- Size: 175 x 134 x 22mm

#### CD/DVD Cover, 50pcs., clear

- Clear plastic cover for storing CD's/DVD's
- For 1 CD/DVD each
- Made of heat-resistant PP-Material
- Size: 175 x 134 x 33mm

#### CD SLIM 25 EDP-No. 31700

ctn qty. 8



CD SLIM 50B EDP-No. 31701

ctn qty. 4



CD DBL CASE 5B EDP-No. 31702

ctn qty. 40



CD DBL CASE 5C EDP-No. 31703

ctn qty. 40



#### CD 4B EDP-No. 31704

ctn qty. 48



#### CD 6C EDP-No. 31705

ctn qty. 48



#### CD PP 25C EDP-No. 31706

ctn qty. 12



#### CD PP 50C EDP-No. 31707





### **CD-ORGANISER**

### For CD & DVD

#### CD/DVD Cover, 50pcs., 6 colours

- Plastic cover for storing CD's/DVD's
- For 1 CD/DVD each
- Made of heat-resistant PP-Material
- Assorted in: pink, purple, green, clear, blue, orange
- Size: 130 x 130 x 35mm

#### CD/DVD Paper Envelopes, 50pcs., black

- Paper envelopes for storing CD's/DVD's
- For 1 CD/DVD each
- Shrink wrapped in a pack of 50pcs.
- Size: 170 x 127 x 33mm

#### CD/DVD Paper Envelopes, 100pcs., white

- Paper envelopes for storing CD's/DVD's
- For 1 CD/DVD each
- Shrink wrapped in a pack of 100pcs.
- Size: 195 x 130 x 47mm

#### CD/DVD Paper Envelopes, 100pcs., 6 colours

- Paper envelopes for storing CD's/DVD's
- For 1 CD/DVD each
- Shrink wrapped, 100pcs. assorted colours: orange, blue, yellow, red, white, green
- Size: 175 x 125 x 56mm

#### CD PP 60 EDP-No. 31708

ctn qty. 10



### CD PAPER 50B

EDP-No. 31709

ctn qty. 100



#### CD PAPER 100W

EDP-No. 31710

ctn qty. 50



#### CD PAPER 100

EDP-No. 31711

ctn qty. 50



### For DVD & Blu-Ray

#### DVD Case, 5pcs., black

- Transparent pocket to insert the DVD cover
- Additional clips inside for the booklet
- For 1 DVD each
- Shrink wrapped in a pack of 5 pcs.
- Size: 190 x 136 x 73mm

#### DVD Case, 5pcs., clear

- Transparent pocket to insert the DVD cover
- Additional clips inside for the booklet
- For 1 DVD each
- Shrink wrapped in a pack of 5 pcs.
- Size: 190 x 136 x 73mm

#### DVD Slim Case, 5pcs., black

- Transparent pocket to insert the DVD cover
- Additional brackets inside for the booklet
- For 1 DVD each
- Shrink wrapped in a pack of 5 pcs.
- Size: 190 x 136 x 35mm

#### DVD Slim Case, 5pcs., clear

- Transparent pocket to insert the DVD cover
- Additional clips inside for the booklet
- For 1 DVD each
- Shrink wrapped in a pack of 5 pcs.
- Size: 190 x 136 x 35mm

#### DVD CASE 5B EDP-No. 31712 ctn qty. 20

#### DVD CASE 5C EDP-No. 31713

ctn qty. 20



ctn qty. 40











# **CD-ORGANISER**

### For DVD & Blu-Ray

### DVD Slim Case, 10pcs., black

- Transparent pocket to insert the DVD cover
- Additional clips inside for the booklet
- For 1 DVD each
- Shrink wrapped in a pack of 10 pcs.
- Size: 190 x 136 x 70mm

### DVD Slim Case, 10pcs., clear

- Transparent pocket to insert the DVD cover
- Additional clips inside for the booklet
- For 1 DVD each
- Shrink wrapped in a pack of 10 pcs.
- Size: 190 x 136 x 70mm

### DVD Double Case, 5pcs., black

- Transparent pocket to insert the DVD cover
- For 2 DVD's each
- Shrink wrapped in a pack of 5 pcs.
- Size: 190 x 136 x 73mm

### DVD Double Case, 5pcs., clear

- Transparent pocket to insert the DVD cover
- For 2 DVD's each
- Shrink wrapped in a pack of 5 pcs.
- Size: 190 x 136 x 73mm

### DVD Double Slim Case, 5pcs., black

- Transparent pocket to insert the DVD cover
- For 2 DVD's each
- Shrink wrapped in a pack of 5 pcs.
- Size: 190 x 136 x 35mm

### DVD Double Slim Case, 5pcs., clear

- Transparent pocket to insert the DVD cover
- For 2 DVD's each
- Shrink wrapped in a pack of 5 pcs.
- Size: 190 x 136 x 35mm

### Blu-Ray Case, 5pcs.

- Transparent pocket to insert the cover
- Additional clips inside for the booklet
- For 1 Blu-Ray's each
- Shrink wrapped in a pack of 5 pcs.
- Size: 170 x 136 x 55mm

### Blu-Ray Double Case, 5pcs.

- Transparent pocket to insert the cover
- For 2 Blu-Ray's each
- Shrink wrapped in a pack of 5 pcs.
- Size: 170 x 136 x 55mm

### DVD SLIM 10B EDP-No. 31716

ctn qty. 20



ctn qty. 20



ctn qty. 20



ctn qty. 20

DVD DBL SLIM 5B EDP-No. 31720

ctn qty. 40

DVD DBL SLIM 5C

EDP-No. 31721

ctn qty. 40

BR 5 EDP-No. 31722

ctn qty. 20

BR DBL 5 EDP-No. 31723

ctn qty. 20

















# **CD-ORGANISER**

# **CD** Organiser

### Organiser for 24 CD's or DVD's

- Material: nylon
- With color application
- Clear register compartments for organized storage
- Especially protective fleece with anti-static effect for protecting CD/DVDs
- 12 clear cover for each 2 CD/DVDs
- Dimensions: 160 x 155 x 40mm

CD WA 24R EDP-No. 31787 ctn qty. 60 / red

CD WA 24V EDP-No. 31788 ctn qty. 60 / violet





Organiser for 48 CD's or DVD's

- Material: nylon
- With color application
- Clear register compartments for organized storage
- Especially protective fleece with anti-static effect for protecting CD/DVDs
- 12 clear cover for each 4 CD/DVDs
- Dimensions: 170 x 285 x 45mm

CD WA 48B EDP-No. 31791 ctn qty. 12 / blue





# **CD Sport Line**

### Organiser for CD and DVD

- Made of black and red robust nylon with silver piping
- Practical carrying handle made of elastic also ideal when you are on the go
- Reinforced, transparent index areas for clear overview of CD/DVDs
- Especially protective fleece with anti-static effect for protecting CD/DVDs
- High-quality design

CD Sport 24 EDP-No. 23202 ctn qty. 12 / for 24 CDs

CD Sport 48 EDP-No. 23203 ctn qty. 8 / for 48 CDs

\_\_\_\_

CD Sport 64 EDP-No. 23204 ctn qty. 8 / for 64 CDs

CD Sport 128 EDP-No. 23205 ctn qty. 6 / for 128 CDs









# **CD-ORGANISER**

# **CD Budget Line**

### Organiser for CD and DVD

- Material: water resistant nylon with silver grey highlights
- Inside: transparent sleeves of heat resistant PP
- Black fleece material protects CD/DVDs from scratches
- Ideal for travelling!
- Only available in complete carton units

# **CDW 24 B** EDP-No. 18911 ctn qty. 16 for 24 CDs or 12 CDs with booklet CDW 48 B EDP-No. 27400 ctn qty. 14 for 48 CDs or 24 CDs with booklet

### Organiser for 96 CD's or DVD's

- Inner material: Nylon - PP CD wallets

- Inner dimension: 155 x 273 x 73mm - Outer material: Oxford nylon material

- Outer size (incl. Hangtag): 335 x 165 x 78mm

### **CDDVDWALLET 96BL**

EDP-No. 28039 ctn qty. 12 / black

**CDDVDWALLET 96BU** 

EDP-No. 28040

ctn qty. 12 / blue



### Organiser for 320 CD's or DVD's

- Material: structured synthetic leather
- Practical carrying handle
- Interior: heat-resistant PP sleeves for clear storage
- Black anti-static fleece protects the CDs from scratches and soiling
- Removable shoulder strap
- High quality
- Available in full packaging units of 6 only

### PRO CDK 320 EDP-No. 18932

ctn qty. 6



### Hard Disc Case 2,5'

- Material outside: EVA

- Material inside: Fleece

- Double zipper
- Colour: black
- Inner dimension: approx. 13 x 8 x 2,5 cm
- Outer dimension: approx. 15,2 x 10,5 x 3 cm

### HDC 2,5 EDP-No. 26600 ctn qty. 16





The aircoustic brand symbolises an entirely new, customer-oriented approach to sell headphones. The "Application-matched segmentation" concept directly addresses the requirements of the final customers, thus allowing for a fast and optimal decision to buy.





# **Tried and tested features:**

### Segmentation by application

For this reason, we segment the aircoustic product line by application rather than by type or design. This lets the customer find the right headphones for his intended application very quickly.

### **Decision guidance and fast orientation**

The concept for the aircoustic product line indicates the relevant applications and so actively supports the customer in his decision to buy. The colour coding system helps with orientation.

### Comprehensive solution

aircoustic is the comprehensive solution for headphones. We ensure a uniform and attractive shelf presentation minimising the expenses for customer counselling while continuously updating and gearing the product range towards the latest trends.

The 4 segments:

aircoustic

Mobile Series

**Urban Series** 

Travel Series

Sports Series



### **Premium Series**

### Premium headset with microphone

Designed to deliver to you the ultimate sound experience. Stunning in appearance and supported with flat 'non-tangle' designer cables with integrated microphone/ remote control, this earphone is not only good looking and intelligent, its most beautiful secret is its performance. Driven by a high performance 10mm driver unit, these earphones deliver a rich bass, magnificently balanced mid range crowned with perfectly detailed highs, all converging to create an orchestral like performance, this combined with the tailor-fitted selection of noise isolation and comfort cushions create a truly breath-taking audio experience.

- Frequency: 18 - 23.000Hz

- Sensitivity: 108dB

- Impedance: 32ohm

- Driver size: Ø 10mm

- Cord length: 1.2m

- Plug: 3.5mm stereo golden

- Carry case included

### X-treme talk, Premium headset

These Premium earphones were not only designed for ultimate sound experience but also for the use of mobile phones. Milled from solid aluminium and equipped with a 9mm high-performance driver, these earphones convince with an extraordinary powerful sound. Thanks to the extremely lightweight housing and the luxury ear pads they are hardly felt in the ear.

- High-quality earphones
- With built-in mic and remote
- Lightweight aluminium housing
- Bass accentuated sound
- Premium packaging with magnet lock
- Incl. bag
- Incl. silicone ear pads in 3 sizes
- Frequency: 19 22.000kHz
- Sensitivity: 102dB
- Impedance: 16ohm
- Cord length: 1.2m - Plug: 3.5mm stereo golden

### X-treme Buds, Premium in earphones

These Premium earphones were designed for ultimate sound experience. Milled from solid aluminium and equipped with a 9mm high-performance driver, the PRE 9090 convince with an extraordinary powerful sound. Thanks to the extremely lightweight housing and the luxury ear pads they are hardly felt in the ear.

- High-quality earphones
- Lightweight aluminium housing
- Bass accentuated sound
- Premium packaging with magnet lock
- Incl. bag
- Incl. silicone ear pads in 3 sizes
- Frequency: 19 22.000kHz
- Sensitivity: 102dB
- Impedance: 16ohm
- Cord length: 1.2m
- Plug: 3.5mm stereo golden

### metalist talk EDP-No. 32212 ctn qty. 5 / brown/silver



x-treme talk EDP-No. 32211

ctn qty. 5 / black/silver







x-treme EDP-No. 32210

ctn qty. 5



Incl. bag





### **Mobile Series**

### Headset for smartphones, metal housing

This headset is the perfect accessory for mobile phones and smartphones. The cable built-in remote controls the functions "answer call" and "hang up" as well as play/pause during music replay. The lightweight construction and ergonomic design provide an extraordinary wearing comfort. Beside the phone functions the MBX 870 convinces with a good music rendition. The well-balanced sound performance with crisp bass range is suitable for sundry music styles.

- Cool grey metal housing
- Lightweight, ergonomic Design
- With built-in mic and remote
- Crisp bass range, well-balanced sound
- Passive noise isolation
- Compatibility: Smartphones and mobile phones from Apple, HTC and Blackberry as well as the latest Samsung models.
- Frequency: 20 20.000Hz
- Sensitivity: 100dBImpedance: 32ohmCable Length: 1.2m
- Plug: 3.5mm gold plated, 4pol.

### MBX 870 EDP-No. 32215 ctn qty. 5 / gray



### Stereo Headset for smartphones

The Stereo Headset MBX 850 is the perfect accessory for mobile phones and smartphones. The cable built-in remote controls the functions "answer call" and "hang up" as well as play/pause during music replay. The lightweight construction and ergonomic design provide an extraordinary wearing comfort. Beside the phone functions the MBX 850 convinces with a good music rendition. The well-balanced sound performance with crisp bass range is suitable for sundry music styles.

- Lightweight, ergonomic Design
- With built-in mic and remote
- Crisp bass range, well-balanced sound
- Passive noise isolation
- Compatibility: Smartphones and mobile phones from Apple, HTC and Blackberry as well as the latest Samsung models.
- Frequency: 20 20.000Hz
- Sensitivity: 101dBImpedance: 16ohm
- Cable Length: 1.2m
- Plug: 3.5mm gold plated, 4pol.





# aircoustic

### **Travel Series**

### Travel Headset with remote and airline adapter

The passive construction isolates background noise, and the headphones offer a high degree of comfort because of their balanced fit.

- Phone function: The remote allows to answer calls, to hang up and control
- Audio replay: Skip forward/back, play/pause, volume
- Isolates background noise
- Comfortable fit
- S/M/L earpads
- Plug: 3.5mm stereo golden
- Volume control
- Incl. bag and airline adaptor
- Frequency: 18 23.00Hz
- Sensitivity: 90dB
- Impedance: 32ohm
- Cord length: 1.2m
- Plug: 3.5mm golden

### Travel in earphone with remote and airline adapter

The passive construction isolates background noise, and the headphones offer a high degree of comfort because of their balanced fit.

- Isolates background noise
- Comfortable fit
- S/M/L earpads
- Plug: 3.5mm stereo golden
- Volume control
- Incl. bag and airline adapter
- Frequency: 18 23.00Hz
- Sensitivity: 90dB
- Impedance: 32ohm - Cord length: 1.2m
- Plug: 3.5mm golden

TRX 760 EDP-No. 32220 ctn qty. 5 / black



Volume control



Airline adaptor



**TRX 750** EDP-No. 32219 ctn qty. 5



Volume control





# **Sport Series**

### Sport earphones

Ergonomically designed and made from ultra-lightweight components you will hardly notice that you are wearing the SPX620. The lightweight materials are highly specified materials that provide excellent sound quality with voluminous and deep rich bass transfer.

- Sensitivity: 100dB - Impedance: 16ohm - Cord length: 1.2m

- Plug: 3.5mm golden

### Sport Earphones with ear clips

The ear clips of the SPX 610 are made of soft silicon. This ensures the perfect fit for all kinds of sport. Robust design and balanced sound characteristics.

- Frequency: 20 Hz - 20.000Hz

- Sensivity: 96dB

- Plug: 3.5mm golden

- Impedance: 32ohm - Cable length: 1.2m

# SPX 620 EDP-No. 32241

ctn qty. 5 / black/yellow



SPX 610 EDP-No. 32240 ctn qty. 5 / black/yellow







### **Urban Series**

### In earphones Reflections

- Very lightweight fashion earphones
- Compact design\*
- Balanced sound characteristics
- S/M/L earpads
- Frequency: 18Hz 23.000Hz
- Sensitivity: 98dB - Impedance: 16ohm - Cord length: 1.2m - Plug: 3.5mm golden

### In earphones

Great looking, translucent, diamond shaped gem of an earphone! But aside from great looks, this well-balanced earphone displays impressive versatility making it ideal for all music genres.

- Frequency: 18Hz - 22.000Hz

- Sensitivity: 102dB - Impedance: 32ohm - Cord length: 1.2m - Plug: 3.5mm golden

### In earphones Nano Buds

The Nano Buds are very compact, ultra lightweight in ear phones. The discrete and trendy design makes the dwarf look good in any ear. The sound of the Nano Buds surprises with heavy basses and a balanced mids and treble range. The silicone ear pads coming in three sizes let you individually adapt the fit. Thanks to the in ear design, the majority of interfering ambient noise is masked out, allowing to enjoy music at an agreeable volume.

- Hhigh-quality in earphones
- Robust, ultra-light metal housing
- Including silicon ear pads (S/M/L)
- Frequency: 18Hz 22.000Hz
- Sensitivity: 100dB - Impedance: 32ohm - Cord length: 1.2m
- Plug: 3.5mm golden

### In earphones Style Buds with 2.5mm plug

- Powerful sound
- Anti tangle cable
- S/M/L earpads
- Frequency: 20Hz 22.000Hz
- Sensitivity: 90dB
- Impedance: 32ohm
- Cord length: 1.2m
- Plug: 2.5mm golden

**URX 350** EDP-No. 32234

ctn qty. 5



**URX 330** EDP-No. 32231

ctn qty. 5 / black



**URX 260** EDP-No. 32229

ctn qty. 5



**URX 230** EDP-No. 32227

ctn qty. 5 / black





### **Urban Series**

### In earphones Style Buds

- Powerful sound
- Anti tangle cable
- S/M/L earpads
- Frequency: 20Hz 22.000Hz

- Sensitivity: 90dB - Impedance: 32ohm

- Cord length: 1.2m
- Plug: 3.5mm golden

### In earphones Comfort Buds

- Smooth shape design
- Including silicon ear pads (S/M/L)
- Frequency: 20Hz 20.000Hz

Sensitivity: 108dBImpedance: 32ohmCord length: 1.2mPlug: 3.5mm golden

### In earphones Comfort Buds

- Smooth shape design
- Including silicon ear pads (S/M/L)
- Frequency: 20Hz 20.000Hz

- Sensitivity: 108dB

- Impedance: 32ohm
- Cord length: 1.2m
- Plug: 3.5mm golden

### URX 220 EDP-No. 32226 ctn qty. 5



URX 210 W EDP-No. 32225

ctn qty. 5 / white



### URX 210 B EDP-No. 32224

ctn qty. 5 / black/silver



### Stereo Earphones

A clever, ergonomically designed product, fitting omfortably but securely into the auricle. Part of the earphone is designed in such a way that the sound is delivered directly into the opening of the auditory canal to ensure the best possibly sound quality is achieved.

- Frequency: 20Hz 20.000Hz
- Sensitivity: 99dB
- Impedance: 16ohm
- Cord length: 1.2m
- Plug: 3.5mm golden

### URX 200 W EDP-No. 32223 ctn qty. 5 / white

URX 200 B EDP-No. 32222 ctn qty. 5 / black





# **Ear Buddy Series**

### Earphones Ear Buddy

- Jelly style
- Fashion design in 4 colours available
- Simple cleaning due to silicone design

- Frequency: 20Hz - 20kHz

- Sensitivity: 104dB
- Impedance: 16ohm
- Cord length: 1.2m
- Plug: 3.5mm golden

BUD 4040 EDP-No. 27075 ctn qty. 5 / Ice White

BUD 4041 EDP-No. 27076 ctn qty. 5 / Cool Blue

BUD 4042 EDP-No. 27077 ctn qty. 5 / Hot Pink

BUD 4043 EDP-No. 27078 ctn qty. 5 / Green Zest





Cool Blue

Hot Pink

Green Ze

# Bluetooth stereo headphones

### Bluetooth stereo headphones with telephone function

- First class sound quality from compact high performance 40mm Neodym Drivers
- Wireless music and comfortable additional phone use
- Supports mobile devices with Bluetooth 3.0 (Smartphones, iPhone, iPad, iPod, Tablet, PC)
- Easy music & phone control: pick-up / hang-up / play / pause / <>
- Easy stowage during transport due to foldable design
- Integrated lithium battery, re-chargeable by USB cable
- Compatibility: Bluetooth 3.0 + lithium rechargeable battery 3.7V 420mAh
- Connectivity : Recharging cable USB / DC 5V
- Impedance (Ohm): 32
- Built-in microphone: 40dB
- Frequency response: 20Hz to 20kHz
- Magnet type : NdFeB 40mm

### new BTHP 200 EDP-No. 34897 ctn qty. 2







# Stereo headphones

### Retro design stereo headphones

In terms of design, the SR 180 scores with its retro looks, but also convinces with its stereo sound rich of details. The lightweight is extremely comfortable to wear thanks to the soft, infinitely adjustable head band.

- Frequency: 20 23.000kHz
- Design: closed
- Sensitivity: 100dB
- Impedance: 32ohm
- Head band: infinitely variable
- Cord length: 1.8m
- Cable arrangement: single-sided
- Plug: 3.5mm golden

### SR 180 EDP-No. 28880 ctn qty. 5







# TV headphones

### DJ style headphones

Thanks to the swivel ear caps and convenient designed ear cushions the wearing comfort is extraordinary. The manufacture is rugged and high-grade and will be underlined by an elaborated surface structure (rubber coating). The closed construction provides a strong bass performance completed by clear highs and smooth mids. The headphones can be folded compactly.

- Frequency Range: 18 – 23.000Hz

- Impedance: 32ohm

- Sensitivity: 109dB

- Cable Length: 1.8m

- Plug: 3.5mm golden

- Headband: adjustable

- Weight: 140g (w/o cable)

SR 580 HD EDP-No. 31440 ctn qty. 5 / black



# TV headphones

### TV stereo headphones

Compact and comfortable – the TV 180 convinces with its optimum wearing comfort and a sound optimised for TV and movies.

- Padded head band and ear cushions
- Adjustable headband
- Long cable with integrated volume controller
- Optimum sound
- Frequency: 20 20.000kHz
- Sensitivity: 103dB
- Impedance: 32ohm
- Head band: variable
- Cord length: 5m, incl. volume control and mono/stereo switch
- Plug: 3.5mm golden
- Adapter: 6.35mm golden

TV 180 EDP-No. 28883 ctn qty. 20







# Standard range

### In-ear headphones with metal housing

- High-quality metal housing
- Powerful bass
- Flat cable to avoid cable tangle
- Frequency: 18 21.000Hz
- Sensibility: 101dB
- Impedance: 16ohm
- Cable length: 1,2m
- Plug: 3,5mm stereo gold plated

### SR 3043 EDP-No. 33840 ctn qty. 10 / metallic blue

SR 3042 EDP-No. 33839 ctn qty. 10 / metallic black



SR 96 TV EDP-No. 32251







### Stereo TV headphones, 3.5mm plug

Light TV headphones with comfortable design and high freedom of movement by  $5\mbox{m}$  cord length.

- Leather-style earpads
- Adjustable headband
- Volume control
- Closed design
- Single-sided cord
- Frequency range 15 20.000Hz
- Impedance:: 32ohmSensitivity: 105dBPlug: 3.5mm golden
- Cord length: 5m

- Adapter: 3.5mm to 6.35mm

# aircoustic

# Standard range

### Stereo headphones

- Leather-style earpads
- Adjustable headband
- Closed design
- Single-sided cord
- Frequency range: 15 20.000Hz
- Impedance: 32ohm
- Sensitivity: 105dB
- Plug: 3.5mm golden
- Cord length: 1.8m

### Neck band headphones

- Stylish & comfortable
- Single sided cable
- Soft earpads
- Frequency: 20 Hz 20.000Hz
- Sensitivity: 108dB
- Impedance: 32ohm
- Cord length: 1.2m
- Plug: 3.5mm golden

### Stereo headphones with volume control

- Lightweight design
- With volume control
- Soft earpads
- Adjustable headband
- Frequency: 20 Hz 20.000Hz
- Sensitivity: 105dB
- Impedance: 32ohm
- Cord length: 1.2m
- Plug: 3.5mm golden

### Stereo Ear Buds

Convince with their bass accentuated sound and attractive design

- Frequency: 19 - 21.000kHz

- Sensitivity: 109dB

- Impedance: 32ohm

- Cord length: 1.2m

- Plug: 3.5mm

### Stereo headphones, light weight

- Light weight
- High wearing comfort
- Extra soft ear pads
- Frequency: 20 20.000Hz
- Sensitivity: 101dB
- Impedance: 32ohm
- Cord length: 1.1m
- Plug: 3.5mm

SR 96 EDP-No. 32250 ctn qty. 5



SR 3032 EDP-No. 32257 ctn qty. 5



SR 3031 EDP-No. 32256 ctn gty. 5



Volume control



SR 3040 EDP-No. 32254 ctn qty. 10 / black

SR 3041 EDP-No. 32255 ctn qty. 10 / white



SR 3030 EDP-No. 32253 ctn qty. 10



# Ear pads

### Universal silicone ear pads for in earphones

- Universal silicone ear pads for in earphones
- 3 Sizes: S/M/L

### Universal silicone ear pads for in earphones

- Universal silicone ear pads for in earphones
- 3 Sizes: S/M/L

### Universal soft spare ear pads for earphones

- 6 off foam ear cushions
- Ø 18mm

### EP10B EDP-No. 33841 ctn qty. 100 / black







### **Fusion**

### FUSION Display - 4 different fashion in earphones

Stunning and affordable earphones in fashionable colours. 4 Variations of product, each with a unique to range function.

- Volume Control Edition in Violet/White. With built-in volume control for convenience. (5 pieces per display)
- Share Buds Edition in White/Green. With Y adapter allowing you to share your music. (5 pieces per display)
- Comfort Edition in Black/Red, With foam ear pads, ideal for long wearing periods. (5 pieces per display)
- Super Bass Edition in Black. With powerful bass for user enjoyment.
   (10 pieces per display)
- Frequency: 20 20.000Hz
- Sensitivity: 108dB (101dB SuperBass edition)
- Impedance: 16ohm (32ohm SuperBass edition)
- Cord length: 1.2m
- 3.5mm plug golden

### FUSION EDP-No. 26773 ctn qty. 25\*







### FUSION BASS EDP-No. 27583 ctn qty. 10\*



### FUSION Super Bass stereo in earphones

- Powerful sound
- Massive bass
- 3 ear silicon fitting kits (S/M/L)
- Frequency: 5 20.000Hz
- Sensitivity: 110dB
- Impedance: 16ohm
- Cable length: 1.2m
- Plug: 3.5mm, golden

\* Available in full packaging units! www.vivanco.com 49

### **Colour Buds**

### StStreet Style Headphones Colourz

Street Style Headphones, the perfect partner for every day. The Sound convinces with a crisp bass range as well as well-balanced mids and highs. Soft leatherette ear cushions, a stageless adjustable headband and the single-sided cable wiring provide a comfortable fit. The cable and the 3.5 mm plug come with a tough coating which makes them very lasting.

- Sensitivity: 110dB

- Frequency Range: 18 - 22.000Hz

Impedance: 32ohmCable Length: 1.8m

- Cable Wiring: single sided

- Plug: 3.5mm, golden

- Headband: stageles s adjustable

- Weight: 120g (w/o cable)

new COL 400 BLACK

EDP-No. 34877

ctn qty. 5 / black

new COL 400 WHITE

EDP-No. 34878

ctn qty. 5 / white

new COL 400 GREEN

EDP-No. 34879

ctn qty. 5 / green

new COL 400 RED

EDP-No. 34880

ctn qty. 5 / red

new COL 400 BLUE

EDP-No. 34881

ctn qty. 5 / blue

new COL 400 ORANGE

EDP-No. 34882

ctn qty. 5 / orange













### Colour Buds light weight and trendy design

Light weight stereo ear buds available in 6 trend colours.

- Frequency: 20 - 20.000Hz

- Sensivity: 81dB

- Impedance: 32ohm

- Cable length: 1.2m

Plug: 3.5mmWeight: only 10.5g

New SR 3 BLACK EDP-No. 34883

ctn qty. 20 / black

new SR 3 WHITE EDP-No. 34884

ctn qty. 20 / white

SR 3 GREEN EDP-No. 34885

EDF-NO. 34003

ctn qty. 20 / green

**SR 3 RED** EDP-No. 34886

ctn qty. 20 / red

new SR 3 BLUE

EDP-No. 34887 ctn qty. 20 / blue

**new** SR 3 ORANGE

EDP-No. 34888

ctn qty. 20 / orange











iiii

# Dynamic microphones (mono)

### Dynamic microphone (mono)

- 3 level volume control
- 6.3mm / XLR plug
- Zinc Alloy housing
- 5m lead
- Unidirectional
- Impedance: 500ohm

### Dynamic microphone (mono)

- Dynamic shock absorber
- 6.3mm / XLR plugZinc Alloy housing
- 5m lead
- Unidirectional
- Impedance: 500ohm

### Dynamic microphone (mono)

- Windbreak integrated
- 3.5mm / 6.3mm / XLR plug
- ABS housing
- 3.1m lead
- Unidirectional
- Impedance: 500ohm

### Dynamic microphone (mono)

- Windbreak integrated
- 3.5mm / 6.3mm plug
- ABS housing
- 3.1m lead
- Unidirectional
- Impedance: 500ohm

### Dynamic microphone (mono)

- Super lightweight
- 3.5mm / 6.3mm / XLR plug
- ABS housing
- 3.1m lead
- Unidirectional
- Impedance: 600ohm

### Dynamic microphone (mono)

- Attractive entry class
- 3.5mm / 6.3mm plug
- ABS housing
- 3.1m lead
- Unidirectional
- Impedance: 500ohm

DM 60 EDP-No. 14513 ctn qty. 5

DM 50 EDP-No. 14512 ctn qty. 5

DM 40 EDP-No. 14511 ctn qty. 5

DM 30 EDP-No. 14510 ctn qty. 5

DM 20 EDP-No. 14509 ctn qty. 5

DM 10 EDP-No. 14508 ctn qty. 5



# MP3 headphones

### Metal jacket design - ultralight design in earphones

The housings are made of high grade aluminium and are both lightweight and solid at the same time. As well as the Pitch black version, the iSR110 is also available in three on trend colours as well: Mocha brown, Sweet violet and Burnt orange. The matt finished paint, the high grade materials and the perfect manufacture provide a true quality appearance. And the sound inspires as well: The complete acoustic spectrum is reproduced in a totally clear and balanced way. Prolonged listening with the iSR110 gives incredible pleasure. The crisp bass, clear highs and clean midrange meet all needs. Due to the lightweight housing the wearing comfort is high and the silicone ear pads in three different sizes allow the fit to be optimised individually.

- High quality aluminium housing
- Excellent sound quality
- 4 trendy colours
- Frequency: 18Hz 22.000Hz
- Sensitivity: 99dBImpedance: 160hmCord length: 1.2m
- Plug: brown violet orange 3.5mm golden

### Stereo Headset for MP3 Player

- Lightweight, ergonomic Design
- With built-in mic and remote
- Crisp bass range, well-balanced sound
- Passive noise isolation
- "Anti Tangle" Cable: minimises cable mess
- Frequency: 20 20.000 Hz
- Sensitivity: 101 dB
- Impedance: 16 Ohm
- Cable Length: 1,2 m, "Anti-Tangle"
- Plug: 3,5 mm golden, 4 pol

### Stereo Headset for MP3 Player

- High grade manufacture, partial made of aluminium
- With built-in mic and remote
- Clear and detailed sound
- Passive noise isolation
- "Anti Tangle" Cable: minimises cable mess
- Cutting-edge cable design with translucent coating
- Frequency: 19 22.000 Hz
- Sensitivity: 103 dB
- Impedance: 16 Ohm
- Cable Length: 1,2 m, "Anti-Tangle"
- Plug: 3,5 mm golden, 4 pol.
- Incl. adapter for Nokia

**iSR 110 B** EDP-No. 31033 ctn qty. 5 / black

iSR 110 BR EDP-No. 31034 ctn qty. 5 / brown

iSR 110 V EDP-No. 31035 ctn qty. 5 / violet

iSR 110 O EDP-No. 31036

ctn qty. 5 / orange







MP3 100 GR EDP-No. 33860 ctn qty. 10 / green

MP3 100 PU EDP-No. 33861

ctn qty. 10 / purple

MP3 100 BK EDP-No. 33862 ctn qty. 10 / black

**NEU** MP3 100 RE EDP-No. 33863

ctn qty. 10 / red







MP3 200 RE EDP-No. 33864 ctn qty. 10 / red

MP3 200 BL EDP-No. 33865 ctn qty. 10 / blue

**MP3 200 BK EDP-No. 33866**ctn qty. 10 / black

MP3 200 WT EDP-No. 33867

ctn qty. 10 / white







k

# MP3 adapter

### MP3 car adapter cassette

- For the connection of MP3 players to car radios with a cassette deck
- 3.5mm plug, stereo
- With auto-reverse function

IACA EDP-No. 31037 ctn qty. 10

**MFI U1 18W** 

EDP-No. 31015 ctn qty. 5 / 1.8 m / white

Made for iPod



# iPod and MP3 player connection

### Made for iPod dock connector > USB

- Inner core made of oxygen free copper (OFC)
- Double shielding
- Compatible with iPod touch, classic, nano
- iPhone compatibel
- Supported data synchronisation and transfer
- USB 2.0-compatible
- Also for charging, e.g. in connection with articles 23192, 25343 or 23193 or other USB charge adapters compatible with iPod/iPhone

# MP A2 15B EDP-No. 31011

ctn qty. 5 / 1.5m





# Solid 3.5mm / RCA connection 3.5mm plug <-> 2x RCA plug

- For connecting your iPhone / iPod / iPad / MP3 player to your HiFi system
- Solid metallic plug, chromdesign
- Pure oxygen free copper cables (OFC)
- Solid metal connector with gold plated contacts
- Double shielded
- Stereo

### Solid Y-adapter 3.5mm plug <-> 2x 3.5mm connection

- For connecting two headphones to your iPhone / iPod / iPad / MP3 player
- Solid metallic plug, chromdesign
- Pure oxygen free copper cables (OFC)
- 24 carat gold-plated contact surfaces
- Double shielded
- Stereo

# Solid 3.5mm connection 3.5mm plug <-> 3.5mm plug

- For connecting your iPhone / iPod / iPad / MP3 player to your car radio
- Solid metallic plug, chromdesign
- Pure oxygen free copper cables (OFC)
- 24 carat gold-plated contact surfaces
- Double shielded
- Stereo

### MP A2 02B EDP-No. 31012 ctn qty. 5 / 0.2m



MP A1 08B EDP-No. 31013 ctn qty. 5 / 0.8m

MP A1 15B EDP-No. 31444 ctn qty. 5 / 1.5m





# iPod and MP3 player connection

# PREMIUM 3.5 mm extension 3.5 mm plug <-> 3.5 mm socket

- For connecting your headset to your iPhone / iPod / iPad / MP3 player
- Solid metallic plug, chromdesign
- Pure oxygen free copper cables (OFC)
- 24 carat gold-plated contact surfaces
- Double shielded
- Stereo

### 3.5mm / RCA connection 3.5mm plug <-> 2x RCA plug

- For connecting your iPhone / iPod / MP3 player to your HiFi system
- Pure oxygen free copper cables (OFC)
- Ergonomic plug design with gold plated contacts
- Single shielded
- Stereo

### Connection 3.5mm 3.5mm plug <-> 3.5mm plug

- For connecting your iPhone / iPod / MP3 player to your car radio
- Pure oxygen free copper cables (OFC)
- Ergonomic plug design with gold plated contacts
- Single shielded
- Stereo

### Y-adapter 3.5mm 3.5mm plug <-> 2x 3.5mm socket

- For connecting two headphones to your iPhone / iPod / MP3 player
- Pure oxygen free copper cables (OFC)
- Ergonomic plug design with gold plated contacts
- Single shielded
- Stereo

# USB 2.0 certified connection cable USB plug typ A <-> USB plug typ mini B

- For connecting your MP3 player to your PC / laptop
- Pure oxygen free copper cables (OFC)
- Ergonomic plug design with gold plated contacts
- Single shielded

### MP AV1 03 EDP-No. 31039 ctn qty. 5 / 0.3m




MS A2 18W EDP-No. 31006 ctn qty. 5 / 1.8 m






MS A1 08W EDP-No. 31007 ctn qty. 5 / 0.8 m

MP A1 18W EDP-No. 31008 ctn qty. 5 / 1.8 m



MS A2 02W EDP-No. 31009

ctn qty. 5 / 0.2 m



MS A1 18W EDP-No. 31010

ctn qty. 5 / 1.8 m









### **Power**

### AC/DC charging adapter for Apple iPhone / iPod

- For iPod and iPhone
- CE
- Input: 100 240V~, 60/50Hz, 145mA max.
- Output plug: Apple Dock Connector
- Output: 5V= / max.0.5A
- Cable length: 1.2m
- Surge Protection

- Stand by power consumtion: <0.3W

MFI PA 5 EDP-No. 26476 ctn qty. 10





### **Power**

### AC/DC charging adapter for Apple iPhone / iPod

- FFor iPod and iPhone
- CE
- Input: 100 240V~, 60/50Hz, 145mA max.
- Output plug: Apple Dock Connector
- Output: 5V / max.0.5A
- Cable length: 1.2m
- Surge ProtectionStand by power consumtion: <0.3W</li>

### Car power adapter for Apple iPhone / iPod / iPad

- For iPod and iPhone
- CE (E4)
- Input: 12-13,8V==
- Output plug: Apple Dock Connector
- Max. output power/current: 5V= / max. 1000mA
- Cable length: 1.0m
- Surge Protection

# USB travel charging adapter for MP3 player, smartphones, mobile phones and other USB devices

Travel charging adapter, 1000mA, for mobile phones, digital cameras, MP3 payers and other USB devices.

- Universal USB output Typ A
- Compact and light weighing
- Enviromental-friendly
- Incl. internat. travel plugs
- Dimension: 72x46x33mm
- Power indicator
- Stand by power consumtion: < 0,3W
- Input: 100V 240V~, 60/50Hz, 130mA max.
- Input plugs: EU, UK, US, AUS etc.
- Output Voltage: 5V=, 1000mA, max. 5W

### Universal USB charging adapter

- For all USB chargeable devices like smartphones, MP3 player and Apple iPod/iPhone
- GS, CE
- Input: 100 240V~; 60/50Hz; max. 130mA
- Output: 5V / 1000mA (voltage according to USB standard)
- Max. Output power/current: 5W
- Output socket: USB type A socket
- Surge protection
- Stand-by power: <0.3W

### Universal USB car charging adapter

- For all USB chargeable devices like smartphones, MP3 player and Apple iPod/iPhone
- E Mark: CE, (E4)
- Input: 12 13.8V
- Output: 5V / 1000mA (voltage according to USB standard)
- Max. Output power/current: 5W
- Output socket: USB type A socket
- Surge protection

MFI PA 7 EDP-No. 30768

ctn qty. 10





MFI CA 7 EDP-No. 30769 ctn qty. 10

. . . .

iPod [iPhone iPad



IPAU 1000 EDP-No. 30335 NF-EDP-No. 31022 ctn qty. 5

AU (N) NZ



BM CA EC JM JP MX TW US VE



(AT (CH) (CZ (DE) (DK) (ES) (F) (FR) (GR) (HU) (S) (T) (KP) (KR) (NL) (ND) (PL) (SE) (SK) (R)



AE CY GI HK IE MOUT MY SG UK

IPA 2000 EDP-No. 31021

ctn qty. 10



ICA 2000 EDP-No. 31020

ctn qty. 10



### Camera cases

### Neoprene Camera Case

The ultra-thin camera bags made of soft, stretchy neoprene offer optimum protection.

- Material outside: Neoprene - Material inside: Fleece

- Inner dimension: 11.5 x 7.5 x 2cm - Outer dimension: 12 x 9 x 2.5cm

- Loop for neckstrap - Metal-Zipper

### Camera case "Neo Compact"

The ultra-thin camera bags made of soft, stretchy neoprene offer optimum protection. The bags are also suitable for mobile phones and MP3 players. With the handy metal hook the camera bag can be attached to your belt or handbag.

- Size: inner size 10 x 7 x 2cm
- Material: Neoprene
- 1 D-ring dull silver at the backside
- Black colored fleece lining inside
- 1 dull metal zipper puller
- 1 dull metal D-ring at the backside

### Smart-Case camera case

- Soft pouch construction
- Twin zip closure
- Herringbone design
- 20mm webbing belt loop with velcro
- Hidden Memory card pocket with access given by opening the belt loop

### Available in two sizes:

- Size I for Compacts: 6.2 x 10.5 x 2cm
- Size II for Superzooms: 7 x 11.5 x 3.5cm









new CC NEO BL EDP-No. 34280



CC NEO COM DB EDP-No. 27060

ctn qty. 1 / blue

CC NEO COM RE EDP-No. 27061

ctn qty. 1 / red

CC NEO COM TU EDP-No. 27893

ctn qty. 1 / turquoise



SMC 60 BK EDP-No. 32286

ctn qty. 1 / Size I / black

SMC 60 BR EDP-No. 32287

ctn qty. 1 / Size I / brown

SMC 60 BL EDP-No. 32289

ctn qty. 1 / Size I / blue

SMC 60 PK EDP-No. 32288

ctn qty. 1 / Size I / pink

SMC 70 BK EDP-No. 32290

ctn qty. 1 / Size I / black

SMC 70 BR EDP-No. 32291

ctn qty. 1 / Size I / brown

SMC 70 BL EDP-No. 32293

ctn qty. 1 / Size I / blue

SMC 70 PK EDP-No. 32292

ctn qty. 1 / Size I / pink



### Camera cases

### Slide Case camera case

- Molded EVA with laminated Nylon Twill
- Herringbone design
- 20mm webbing pull tab
- Magnetic snap button closure
- For Compacts: 6.5 x 11 x 2.5cm







SLC 60 BK EDP-No. 32270 ctn qty. 1 / black

SLC 60 BR EDP-No. 32271 ctn qty. 1 / brown

SLC 60 BL EDP-No. 32273 ctn qty. 1 / blue

SLC 60 PK EDP-No. 32272 ctn qty. 1 / pink



### Soft Case camera case

- Soft pouch construction with draw string top
- Herringbone design
- 20mm webbing belt loop
- D-Ring for camera wristlet attachment

### Available in two sizes:

- Size I for Compacts: 6.5 x 11 x 2.5cm
- Size II for Superzooms: 7.5 x 12 x 3.8cm





SPK 60 BK EDP-No. 32278 ctn qty. 1 / Size I / black

SPK 60 BR EDP-No. 32279 ctn qty. 1 / Size I / brown

SPK 60 BL EDP-No. 32281 ctn qty. 1 / Size I / blue

SPK 60 PK EDP-No. 32280 ctn qty. 1 / Size I / pink

SPK 70 BK EDP-No. 32282 ctn qty. 1 / Size II / black

SPK 70 BL EDP-No. 32285

ctn qty. 1 / Size II / blue

EDP-No. 32284 ctn qty. 1 / Size II / pink

SPK 70 PK



### Camera cases

### VN camera case

High quality nylon camera case.

The small zip pocket at the front provides space for extra memory cards.

- Padded inner compartment
- Memory card pocket
- Removable shoulder strap

Available in two sizes:

Size I – Inner dimension: 6 x 9 x 2cm Size II – Inner dimension: 7 x 10 x 3cm

### EVA camera case

The protective hard shell, the durable nylon cover and the soft lining ensure cameras, cell phones and MP3 players optimum security.

- Material: EVA hardcases with nylon
- Black coloured fleece lining inside
- Two Pockets inside
- 2 metal zipper puller
- Fixed belt loop (6cm)
- Neck strap with metal hook
- Ctn qty.: 100

Available in two sizes:

Size I – Inner dimensions:  $6 \times 9 \times 2.5$ cm Size II – Inner dimensions:  $7 \times 10 \times 3$ cm CC VN 60 BL EDP-No. 27370

ctn qty. 1 / Size I / black

CC VN 60 BR EDP-No. 27371

ctn qty. 1 / Size I / brown

CC VN 60 PI EDP-No. 27375

ctn qty. 1 / Size I / pink

CC VN 70 BL EDP-No. 27376

ctn qty. 1 / Size II / black

CC VN 70 BR EDP-No. 27377

ctn qty. 1 / Size II / brown

CC VN 70 BU EDP-No. 27379

ctn qty. 1 / Size II / blue



CC EVA BL 60 EDP-No. 27382

ctn qty. 1 / Size I / black

CC EVA GY 60 EDP-No. 27383

ctn qty. 1 / Size I / gray

CC EVA DB 60 EDP-No. 27384

ctn qty. 1 / Size I / blue

CC EVA RE 60 EDP-No. 27385

ctn qty. 1 / Size I / red

CC EVA PI 60 EDP-No. 27386

ctn qty. 1 / Size I / pink

CC EVA BL 70 EDP-No. 27388

ctn qty. 1 / Size II / black

CC EVA GY 70 EDP-No. 27389

ctn qty. 1 / Size II / gray

CC EVA DB 70 EDP-No. 27390

ctn qty. 1 / Size II / blue

CC EVA RE 70 EDP-No. 27391

ctn qty. 1 / Size II / red

CC EVA PI 70 EDP-No. 27392

ctn qty. 1 / Size II / pink



### Camera cases

### EVA Hardcases for digital cameras

The hard cases with tough nylon cover and soft lining ensure optimum protection.

- Material: EVA Hardcases with Nylon
- Material inside: Fleece
- Inner dimensions: 10.5 x 6.5 x 3cm
- Pocket inside for e.g. memory cards
- 2 metal zipper puller
- Belt loop
- Neck strap with metal hook

new CC EVA BL EDP-No. 34270 ctn qty. 1 / black

new CC EVA BG EDP-No. 34271

ctn qty. 1 / red

new CC EVA GY EDP-No. 34272

ctn qty. 1 / gray

new CC EVA OU EDP-No. 34273

ctn qty. 1 / purple

new CC EVA DB EDP-No. 34274

ctn qty. 1 / blue

new CC EVA TU EDP-No. 34275

ctn qty. 1 / turquoise



### EVA hard shell camera case

The protective hard shell, the durable nylon cover and the soft lining ensure cameras, cell phones and MP3 players optimum security.

- Material: EVA hardcases with nylon
- Black coloured fleece lining inside
- Two Pockets inside
- 2 metal zipper puller
- Fixed belt loop (6cm)
- Neck strap with metal hook
- Ctn qty.: 100

Available in two sizes:

Size I – Inner dimensions: 6 x 9 x 2.5cm Size II – Inner dimensions: 7 x 10 x 3cm

CC EVA PU 60 EDP-No. 27900

ctn qty. 1 / Size I / violet

CC EVA FU 60 EDP-No. 27901

ctn qty. 1 / Size I / fuchsia

CC EVA TU 60 EDP-No. 27902

ctn qty. 1 / Size I / turquoise

CC EVA 60 BR EDP-No. 27414

ctn qty. 1 / Size I / brown

CC EVA PU 70 EDP-No. 27903

ctn qty. 1 / Size II / violet

CC EVA FU 70 EDP-No. 27904

ctn qty. 1 / Size II / fuchsia

CC EVA TU 70 EDP-No. 27905

ctn qty. 1 / Size II / turquoise



### Camcorder and DSLR

### DSLR camera case

- Soft padded pouch construction with twin zip closure
- Padded back panel
- Leatherette bottom
- Adjustable shoulder strap
- Opening pleat
- Internal pocket for accessories and memory cards
- Removable lens protection pad with velcro

Available in two sizes:

Size I – Inner dimensions:  $14 \times 14.5 \times 9.5$ cm Size II – Inner dimensions:  $18 \times 19 \times 10.5$ cm

### Camcorder case

- Soft padded pouch front-construction with main zip closure and EVA back
- 20mm Herringbone webbing belt loop
- Removable shoulder strap
- Internal pocket for accessories and memory cards
- Inner dimension: 8 x 15 x 6cm

### Universal DSLR Camera Bag

- Top-loading opening for quick and easy access to the camera
- Padded inner compartment with adjustable panel
- Extra solid protection for objective lens removable
- Front pocket
- 2-way zipper
- Padded carrying handle
- Solid belt loop
- Shoulder strap, removable and adjustable (60-120cm)
- Material: 600 D Polyester
- Inner dimensions: (W/H/D) 10-16cm x 18.5cm x 10-11 cm

### DSLR 120 BK EDP-No. 32295

ctn qty. 1 / Size I

DSLR 180 BK EDP-No. 32296

ctn qty. 1 / Size II



CMC 70 BK EDP-No. 32294

ctn qty. 1



new DSLR BL EDP-No. 34290

ctn qty. 1 / black







### Universal DSLR Camera & camcorder bag

- Anti-scratch inner compartment
- Outer Material: 600D Polyester
- Padded inner compartment with adjustable panel
- Two external side pockets
- Front pocket
- Back pocket with velcro fastener
- Padded shoulder strap, removable and adjustable (70 134cm)
- Camera bag size: (W/H/D) 24 cm x 21 cm x 14.5 cm
- Inner Measurements: (W/H/D) 20 cm x 18.5 cm x 10 cm



### Camcorder and DSLR

### Basic Black camcorder/camera case

Robust case for all occasions. Tasteful styling and high-quality workmanship are the trademark features of this line. Robust material and stable upholstery provide the best possible protection for the camera and accessories and make the basic black models an indispensible companion in all situations.

- Material: nylon
- Water-resistant top material in black with blue piping
- The main compartment is closed with a practical double zipper
- The cover net compartment, front compartment with organisational partitioning, front and side net pockets provide space for many accessories
- High-grade upholstery
- Light-coloured flannel inner lining to help find accessories inside the case
- Adjustable interior partitioning
- Removable shoulder strap and belt loop for different carrying options
- Cleanable bottom

### Available in four sizes:

Size I - Inner dimension main compartment approx 10 x 14 x 8 cm

Size II - Inner dimension main compartment approx 13 x 12 x 6 cm

Size III - Inner dimension main compartment approx 17 x 12 x 9 cm

Size IV – DSLR\*-Tasche "Colt", Inner dimension main compartment approx 17 x 19 x 12,5 cm  $\,$ 

### BASIC BLACK 100 EDP-No. 22747

ctn qty. 1 / Size I

### BASIC BLACK 130 EDP-No. 22748

LDI -NO. 2274

ctn qty. 1 / Size II

### BASIC BLACK 170

EDP-No. 22749

ctn qty. 1 / Size III

### BASIC BLACK Colt

EDP-No. 26155

ctn qty. 1 / Size IV





Front compartment



# **Tripods**

Photo & video camera tripod WT 3530, black incl. tripod carry case, nylon

- Max. loading: 3000 g
- Thread/Connection: 6.4 mm / 1/4"
- 3-Way Panhead
- Rhombic Legs 3 pieces (2-extendable)
- Bubble level







Photo & video camera tripod WT 3570, black incl. tripod carry case, nylon

- Max. loading: 4000 g
- Thread/Connection: 6.4 mm / 1/4"
- 3-Way Panhead
- Rhombic Legs 3 pieces (2-extendable)
- Bubble level







Photo / video mini tripod WT 0252, silver

- Max. loading: 800 g
- Thread/Connection: 6.4 mm / 1/4"
- Ball tilt head
- Rhombic Legs 2 pieces (1-extendable)
- Max. Height: 21 cm



WT 3530 EDP-No. 30761 ctn qty. 10



WT 3570 EDP-No. 30762 ctn qty. 10



WT 0252 EDP-No. 30763 ctn qty. 40



# The customer is the focus


Power units are everyday items, but hardly anyone knows the technical specifications of these commonplace products.

Anyone who wants to replace a lost or defective power unit is faced with a difficult choice.

The dealers' shelves are full of countless models with a multitude of different plugs.

The new Vivanco power unit range, therefore follows a completely new logic, which starts with the APPLICATION of the product.

With the aid of this simple classification, it is easy to find the correct power unit on the shelf:



The range is divided into 4 DEVICE CLASSES:

Small electronic devices: portable audio devices such as radios, discman/walkman, active loudspeakers as well as pocket calculators, Babyfones, kitchen scales

iPad, iPhone & iPod / smartphones / mobil phones / MP3 player

Cameras / portable navigation devices

In addition, the power units are classified according to

Portable computers: laptops, netbooks

WHERE THEY ARE USED:



# For electronic appliances

### AC/DC power adapter for electronic appliances

- Compact and light weighing
- For worldwide use
- GS, CE
- Input: 100-240V~ / 60/50Hz / 0.25A max.
- Max. output power/current: 12W / 1000mA max.
- Stand-by power: < 0.3W\*
- Efficiency: max. 75%\*
- Output voltages: 3.0 / 4.5 / 5.0 / 6.0 / 7.5 / 9.0 / 12V ; max. 12VA
- Output plugs: 2.5mm / 3.5mm / 5.0 x 2.1mm / 5.5 x 2.5mm / 3.5 x 1.35mm / 4.0 x 1.7mm / 5.5 x 1.5mm / 2.35 x 0.75mm

# PAH 1 EDP-No. 27825 ctn qty. 5

### DC/DC car power adapter for electronic appliances

- Compact and light weighing
- For worldwide use
- E Mark: CE, (E4) 10R-021536
- Input: 12-13.8V
- Max. output power/current: 14.4W / 1200mA max.
- Efficiency: max. 93%
- Output voltages: 1.5 / 3.0 / 4.5 / 6.0 / 7.5 / 9.0 / 12V
- Output plugs: 2.5mm / 3.5mm / 5.0 x 2.1mm / 5.5 x 2.5mm / 3.5 x 1.35mm / 4.0 x 1.7mm / 5.5 x 1.5mm / 2.35 x 0.75mm









MFI CPA 6

ctn qty. 5

EDP-No. 30958

# For smartphones, mobile phones, MP3

### Car power adapter for Apple iPad®, iPhone®, iPod® and other USB devices

- Charges all USB chargeable appliances
- E Mark: CE (E4)
- Input: 12-13.8V
- Output: 5V / 2100mA (voltage according to USB standard)
- Max. output power/current: 10.5W
- Output plugs: USB type A at the car power supply
- Cable length: 1m
- Cable type: USB type A → Apple dock connector
- Surge protection

### Power adapter for Apple iPhone®, iPod® and other USB devices

- Charges all USB chargeable appliances
- GS, CE
- Input: 100-240V~, 60/50Hz, 130mA max.
- Output: 5V / 1000mA max. (voltage according to USB standard)
- Max. output power/current: 5W
- Output plugs: USB type A at the power supply
- Cable length: 1m
- Cable type: USB type A → Apple dock connector
- Surge protection
- Stand-by power: < 0.3W

# □iPod □iPhone □iPad





### Car power adapter for Apple iPhone®, iPod® and other USB devices

- Charges all USB chargeable appliances
- E Mark: CE (E4)
- Input: 12-13.8V, 500mA max.
- Output: 5V / 1000mA max. (voltage according to USB standard)
- Max. output power/current: 5W
- Output plugs: USB type A at the car power supply
- Cable length: 1m
- Cable type: USB type A  $\rightarrow$  Apple dock connector
- Surge protection

# MFI CPA 5 EDP-No. 30332 ctn qty. 5





### Charging adapter for div. USB and micro USB devices, smartphones and MP3-player

- Micro USB cable
- Compact design
- Charges all USB chargeable appliances
- Input: 100-240V~, 60/50Hz
- Output: 5V / 1000mA (voltage according to USB standard)
- Max. output power/current: 5W
- Output plugs: USB type A at the power supply
- Cable length: 1m
- Cable type: USB type A  $\rightarrow$  USB type micro B
- Surge protection
- Stand-by power: < 0.3W









# For smartphones, mobile phones, MP3

### AC/DC charging adapter for MP3 players and mobile phones

- For all USB chargeable MP3 player; Apple iPod/iPhone
- Micro USB mobile phone charger compliant to new EU mobile phone charging standard, Nokia compatible
- Charges all USB chargeable appliances
- GS. CE
- Input: 100-240V~ / 60/50Hz / 0.13A max.
- Max. output power/current: 5W / 1000mA max.
- Stand-by power: < 0.3W\*
- Efficiency: max. 85%\*
- Output voltages: 5V (+- 5% according to USB standard)
- Output socket/Output plugs: USB socket type A, micro and mini USB plugs with enclosed adapter lead

### PAH 2 EDP-No. 27826 ctn qty. 5







### DC/DC car charging adapter for MP3 players and mobile phones

- For all USB chargeable MP3 players, e.g. iPod/iPhone
- Micro USB mobile phone charger compliant to new EU mobile phone charging standard, Nokia compatible
- Charges all USB chargeable appliances
- E Mark: CE, (E4) 10R-021618
- Input: 12-13.8V / 540mA max.
- Max. output power/current: 5W / 1000mA max.
- Output voltages: 5V (+- 5% according to USB standard)
- Output socket/Output plugs: USB socket type A micro and mini USB plugs by using supplied adapter lead

### CPA 2 EDP-No. 27831 ctn qty. 5







# For cameras, navigation systems

### AC/DC power adapter for digital cameras and satellite navigation systems

- Charging/Power adapter for frequently used digital cameras, satellite navigation systems and many other devices
- Charges all USB chargeable devices
- For worldwide use
- GS, CE
- For digital cameras made by e.g.: Canon / CASIO / FUJIFILM / HP PhotoSmart series etc./ JVC / KODAK / KYOCERA/ MINOLTA/ NIKON Coolpix series etc. / OLYMPUS C series / D series / E series / PANASONIC / RICOH Caplio series etc. / SONY / TOSHIBA / etc.
- Input: 100-240V; 60/50Hz; max. 0.55A
- Max. output power/current: 27W / 2250mA max.
- Stand-by power: < 0.3W\*
- Efficiency: max. 84%\*
- Output voltages: 3.0 / 4.5 / 5.0 / 6.0 / 7.5 / 9.0 / 12V
- Output plugs: 0.75 x 2.35mm/ 1.35 x 3.5mm/ 1.7 x 4.0mm/ 1.7 x 4.75mm/ 2.1 x 5.5mm/ 2.5 x 5.5mm, micro and mini USB
- Output socket: USB A



# For laptops and netbooks

### AC/DC power adapter for netbooks

- Charging/Power adapter for frequently used netbooks and laptops
- Piano varnish surface, compact design
- For worldwide use
- GS, CE
- Input: 100-240V~; 60/50Hz; max. 1.3A
- Max. output power/current: 65W/9.5-18.5V: 3.5A; 19-20V: 3.25A
- Stand-by power: < 0.5W
- Efficiency: max. 88%
- Output voltages: 9.5 /12.0 /14.0 /16.0 /18.5 /19.0 /20.0V
- Output plugs for: Dell/ Samsung / Sony / Fujitsu Amilo: 6.5 x 1.0 / 12mm Sony VAIO TZ series / Samsung / Fujitsu / Dell: 6.5 x 4.3 x 1.4 / 10mm HP netbook: 7.4 x 5.1 / 13mm HP / Compaq / NEC/ Toshiba / Lenovo: 5.5 x 2.1 / 12mm Asus EEE PC: 5.0 x 2.5 / 10mm LG X series / HP / Compaq / Asus: 4.75 x 1.75 / 10mm Samsung: 5.5 x 3.4 / 10mm Gigatech/ IBM: 5.5 x 2.5 / 10.5mm



### AC/DC Power Adapter for laptops and netbooks

- Charging/Power Adapter for frequently used Netbooks and Laptops
- Rubber surface, compact design
- For worldwide use
- GS, CE
- Input: 100 240V; 60/50Hz; max. 1.5A
- Max. Output Power/Current: 72W / 9.5 20V: 3.5A; 24V: 3A
- Stand-by Power: < 0.5W
- Efficiency: max. 85%
- Output Voltages: 9.5 / 12.0 / 16.0 / 18.5 / 19.0 / 20.0 / 24.0 V=
- Output Plugs for: Dell / Samsung / Sony / Fujitsu Amilo:  $6.5 \times 1.0$  / 12mm Sony VAIO TZ series / Samsung / Fujitsu/ Dell:  $6.5 \times 4.3 \times 1.4$  / 10mm HP netbook:  $7.4 \times 5.1$  / 13mm HP / Compaq / NEC/ Toshiba / Lenovo:  $5.5 \times 2.1$  / 12mm Asus EEE PC:  $5.0 \times 2.5$  / 10mm LG X series / HP / Compaq/ / Asus:  $4.75 \times 1.75$  / 10mm Samsung:  $5.5 \times 3.4$  / 10mm Gigatech / IBM:  $5.5 \times 2.5$  / 10.5mm



### Car power adapter for laptops

- Charging/Power adapter for frequently used laptops
- Piano varnish surface, compact design
- For worldwide, also air, use
- E Mark: CE, (E4) 10R-021610
- Input: 12-13.8V , max. 8A
- Max. output power/current: 72W / 15-18V: 4A; 19-24V: 3A
- Output voltages: 15 / 16 / 18 / 19 / 20 / 22 / 24 V
- Output plugs for: Dell / Samsung / Sony / Fujitsu Amilo: 6.5 x 1.0 / 12mm BenQ Joybook Lite: 5.5 x 2.5 / 12.5mm HP / Compaq / NEC / Toshiba / Lenovo: 5.5 x 2.1 / 12mm Compaq / Gateway / HP / Sharp / Winbook: 5.5 x 1.75 / 12mm Sharp / Dell: 7.7 x 6.7 x 2.5 / 10mm



### Universal

### Universal AC/DC power adapter

- Universal replacement of many original power adapters
- For all USB chargeable MP3 players, also iPhone/iPod
- Micro USB charging compliant to new EU mobile phone standard, Nokia compatible
- For charging of most USB chargeable devices, e.g. SatNav
- GS, CE
- Input: 100-240V; 60/50Hz; max. 0.35A
- Max. output power/current: 18W / 1500mA max.
- Stand-by power: < 0.3W\*
- Efficiency: max. 83%\*
- Output voltages: 3.0 / 4.5 / 5.0 / 6.0 / 7.5 / 9.0 / 12V
- Output plugs: 2.5mm / 3.5mm / 5.0 x 2.1mm / 5.5 x 2.5mm / 3.5 x 1.35mm / 4.0 x 1.7mm / 5.5 x 1.5mm / 2.35 x 0.75mm, micro and mini USB
- Output socket: USB A



- Compact and light weighing
- For car and truck use
- For worldwide use
- E Mark: CE, [e13] 020811
- Input: 12 24V=
- Max. Output Power/Current: 24W / 2000mA
- Output Voltages: 1.5 / 3.0 / 4.5 / 6.0 / 7.5 / 9.0 / 12V (12V only to 24V=)
- Output Plugs: 2.5mm / 3.5mm / 5.0 x 2.1mm / 5.5 x 2.5mm / 3.5 x 1.35mm / 4.0 x 1.7mm / 5.5 x 1.5mm / 2.35 x 0.75mm





# Vivanco special models

### DC/DC Car Power Adapter with USB output, 3V-12V, 3A max.

- Charging/Power Adapter for frequently used, Digital Cameras, SatNavs, Smartphones, Mobile Phones, MP3 Player and many other devices
- Charges all USB chargeable devices
- For worldwide use
- Green backlight around USB output
- Overload Protection (Current/Power)
- Input: 12V-13.8V= / max. 3.5A
- Output Voltage: 3.0 / 4.5 / 5.0 / 6.0 / 7.5 / 9.5 V= / max. 3A 12.0 V= / max. 3A (only for 13.8 V Input)
- USB Output: 5V= / 1A
- Building-in fuse link: 4A / 250V=
- Micro- and Mini USB tip
- Output Socket: USB A
- Cable length: 1.80m
- 9 pcs. tips for different devices:

1) J: 1.75 x 4.75

2) E: 2.1 x 5.5

3) G: 2.5 x 5.5

4) H: 1.35 x 3.5

5) I: 1.7 x 4.0

6) S: 0.75 x 2.35 7) FUSB

8) FMUSB (Micro)

9) FNUSB (Mini)



# Vivanco special models

### 150W Car Power DC/AC inverter with USB charging function

- Input: 12-13.8V= / max. 16A max.
- Max. output power/current: 300W (shortly 0.3 sek.) / 150W
- Output voltage: 220-240V / 50Hz
- Output USB: 5V=, 500mA max., USB socket type A
- Output Car socket: 12V--- , 1000mA
- Fuse: 20A
- Operation by enviroment temperature up 0°C bis 25°C

**CPC 160** EDP-No. 32374 ctn qty. 5



### Car socket multiplier with USB charging function

- Input: 12-13.8V
- Max. output power/current: 12W / 1000mA
- Output sockets: 3x 12V / max. 1000mA also for cigarette lighter
- USB: 5V (USB), max. 500mA → 1000mA
- Output socket: USB socket type A

CPM 03 USB EDP-No. 27839 ctn qty. 5









Incl. USB connection

### Car socket multiplier

- Doubles power connector sockets in vehicle
- Input plug: cigarette lighter
- E Mark: CE, (E4) 10R-021121
- Input: 12-13.8V==
- Max. output power/current: 42W / 3500mA
- Output socket: 2x 12V==

### **CPM 02** EDP-No. 27840 ctn qty. 5





### Universal AC/DC power adapter

- Compact and light weighing
- For worldwide use
- GS, CE
- Input: 100-240V; 60/50Hz; max. 0.16A
- Max. output power/current: 7.2W / 600mA max.
- Stand-by power: < 0.3W\*
- Efficiency: max. 70%\*
- Output voltages: 3.0 / 4.5 / 5.0 / 6.0 / 7.5 / 9.0 / 12V
- Output plugs: 3.5mm / 5.0 x 2.1mm / 5.5 x 2.5mm / 3.5 x 1.35mm / 4.0 x 1.7mm / 2.35 x 0.75mm



# Vivanco special models

### Universal DC/DC car power adapter

- Compact and light weighing
- For worldwide use
- E Mark: CE, (E4) 10R-021419
- Input: 12-13.8V==
- Max. output power/current: 9.6W / 800mA
- Output voltages: 1.5/3.0 / 4.5 / 6.0 / 7.5 / 9.0 / 12V
- Output plugs: 3.5mm / 5.0 x 2.1mm / 5.5 x 2.5mm / 3.5 x 1.35mm / 4.0 x 1.7mm / 2.35 x 0.75mm



**CA 800** 



### Universal USB charging adapter

- For all USB chargeable MP 3 players, also iPhone/iPod
- For charging of most USB chargeable devices, e.g. satellite navigation systems
- GS. CE
- Input: 100-240V; 60/50Hz; max. 0.13A
- Max. output power/current: 5W / 1000mA
- Stand-by power: < 0.3W\*
- Efficiency: max. 85%\*
- Output voltages: 5V (+- 5% USB standard compliant)
- Output socket: USB socket type A

PA 1001 EDP-No. 32390 ctn qty. 10



### Universal USB car charging adapter

- For all USB chargeable MP 3 players, also iPhone/iPod
- For charging of most USB chargeable devices, e.g. satellite navigation systems
- E Mark: CE, (E4) 10R-021618
- Input: 12-13.8V==
- Max. output power/current: 5W / 540mA max.
- Output voltages: 5V (+- 5% USB standard compliant)
- Output socket: USB socket type A

CA 1001 EDP-No. 32391 ctn qty. 10



# **Plug-in Chargers**

### Standard Plug-in Battery Charger with USB Outlet

Standard Plug-in Battery Charger, 150 mA, with USB Outlet, for 2 or 4 AA / AAA Ni-MH/ Ni-Cd Batteries(without battery pack)

- USB outlet with overload protection
- Gentle battery charge
- For 2 or 4 pcs. AA / AAA Ni-Cd / Ni-MH batteries
- It incorporates an USB outlet to charge electronics devices in the meantime
- Input Voltage: 100-240V~, 60/50Hz (euro plug) Output: 0.72VA max.
- Charge Current: 2x (2.8V=, 150mA) AA / AAA USB output: 5V / 1000mA USB output: 5V / 1000mA (USB charching only) 5V / 852mA (USB & 2 pcs. batteries charging) 5V / 700mA (USB & 4 pcs. batteries charging)
- Batteries Charging Time Table:
   Battery Type, battery capacity, charge time AAA, 700mAh, 6.5hrs 850mAh,
   7.9hrs 900mAh, 8.4hrs AA, 1800mAh, 16.8hrs 2000mAh, 18.7hrs 2200mAh,
   20.5hrs 2400mAh, 22.4hrs

ACS 11 EDP-No. 30758 ctn qty. 10



# **Plug-in Chargers**

### Plug-in Battery Charger with USB Outlet

- Standard Plug-in Battery Charger, 150mA, with USB Outlet, for 2 or 4 AA / AAA Ni-MH / Ni-Cd Batteries
- Incl. 2 pcs. AA batteries 2000mAh NiMH
- For 2 or 4 pcs. AA / AAA Ni-Cd / Ni-MH batteries
- It incorporates an USB outlet to charge electronics devices in the meantime
- Input Voltage: 100 240V~, 60/50Hz (euro plug)
- Output: 0.72VA max.
- Charge Current: 2x (2.8V=, 150mA) AA / AAA
- USB output: 5V / 1000mA
- USB output: 5V / 1000mA (USB charging only)
   5V / 852 mA (USB & 2 pcs. batt. charging) 5V / 700mA
   (USB & 4pcs. batt. charging)
- Batteries: 1.2V, 2000mAh, AA, NiMH
- Batteries Charging Time Table: AAA / 700mAh / 6.5hrs AAA / 850mAh / 7.9hrs AAA / 900mAh / 8.4hrs AA / 1800mAh / 16.8hrs AA / 2000mAh / 18.7hrs AA / 2200mAh / 20.5hrs AA / 2400mAh / 22.4hrs
- USB outlet with overload protection
- Gentle battery charge



### **Batteries**

### Set of button cells, CR2032

- Lithium button cells
- 3.0V
- Content: 2x CR2032

### Set of button cells, CR2025

- Lithium button cells
- 3.0V
- Content: 2x CR2025

### Set of button cells, 30pcs

Collection of popular button cells combined in a useful set

- Alcaline button cells
- 1.5V
- Content: 30pcs.:

 $6x\ AG1\ /\ 6x\ AG3\ /\ 6x\ AG4\ /\ 3x\ AG10\ /\ 3x\ AG12\ /\ 6x\ AG13$ 

- Compatibility overview:
  - AG1 LR621 164
  - AG3 LR41 LR736 164
  - AG4 LR626 177
  - AG10 LR1130 189
  - AG12 LR43 LR1142 186
  - AG13 LR44 LR1154 157

### Set of button cells, LR44

Set of these popular button cells LR41

- Alcaline button cells
- 1.5V
- Content: 10x LR41
- Compatibility overview: LR44 AG13 LR1154 157

BC CR2032-2 EDP-No. 31737 ctn qty. 10



BC LR SET-30 EDP-No. 31741 ctn qty. 20



BC LR44-10 EDP-No. 31742 ctn qty. 20







### **Batteries**

### Set of button cells, LR41

Set of these popular button cells LR41

- Alcaline button cells
- 1.5V
- Content: 10x LR41
- Compatibility overview:: LR41 AG3 LR736 192

### NiMH battery pack, 4x micro 1.2V / 850mAh

- Nickel Metal hydrid
- 1.2V
- 850mAh
- Type: AAA
- Content: 4pcs.

### NiMH battery pack, 4x mignon 1.2V / 2500mAh

- Nickel Metal hydrid
- 1.2V
- 2500mAh
- Type: AA
- Content: 4pcs.

### NiMH battery, rechargeable, AAA-Type, 700mAh, 2pcs.

Ideally in use with digital camera, flashlight, walkie-talkie, clocks.

- NiMH 2x Micro 1.2V / 700mAh
- Size: 45 x 10 x 10mm
- Weight: 12g / battery
- Type: AAA
- Content: 2pcs.

### Box for 4 pcs. AA and/or AAA batteries transparent

Best to protect or to carry replacement batteries and rechargeable batteries. Can limit the risk of dangerous short circuits, which may happen if batteries are carried unprotected. Stops wasting of time while looking for loose batteries in (photo-) bag or backpack.

- Universal for 4pcs. AA- or AAA round cells
- Transparent plastic housing
- Batteries are not included

BC LR41-10 EDP-No. 31743 ctn qty. 20



RC NIMH AAA850-4 EDP-No. 31744

ctn qty. 12



RC NIMH AA2500-4 EDP-No. 31745

ctn qty. 12



RC NIMH AAA700-2 EDP-No. 33594

ctn qty. 12



BATT BOX AA-AAA EDP-No. 31746

ctn qty. 12





# **POWER ACCESSORIES**

# Socket extensions, standard

### Triple socket extension lead

- 3x Schuko
- Core thickness 1.5mm<sup>2</sup>
- Sockets angled at 45°
- Secure contacts
- Virtually unbreakable housing

### Triple socket extension lead with switch

- 3x Schuko with switch
- Core thickness 1.5mm<sup>2</sup>
- Sockets angled at 45°
- Secure contacts
- Virtually unbreakable housing

### Six socket extension lead

- 6x Schuko
- Core thickness 1.5mm<sup>2</sup>
- Sockets angled at 45°
- Secure contacts
- Virtually unbreakable housing

### Six socket extension lead with switch

- 6x Schuko with switch
- Core thickness 1.5mm<sup>2</sup>
- Sockets angled at 45°
- Secure contacts
- Virtually unbreakable housing

E3 W15 EDP-No. 28254 ctn qty. 40 / white / 1.4m

E3 S15 EDP-No. 28255 ctn qty. 40 / black / 1.4m



ES3 W15 EDP-No. 28256

ctn qty. 38 / white / 1.4m

ES3 S15 EDP-No. 28257

ctn qty. 38 / black / 1.4m



E6 W15 EDP-No. 28258 ctn qty. 20 / white / 1.4m

E6 S15 EDP-No. 28259 ctn qty. 20 / black / 1.4m

ES6 W15 EDP-No. 28260 ctn qty. 20 / white / 1.4m

ES6 S15 EDP-No. 28261 ctn qty. 20 / black / 1.4m





# Adapters

### 2-way Euro adapter

- Schuko plug to 2x Euro socket

### 3-way Euro adapter

- Schuko plug to 3x Euro socket
- Children security
- Max. 1.700Watt

A2 W EDP-No. 7295 ctn qty. 215 / white

A3 WE EDP-No. 31047 ctn qty. 100 / white







### **Adapters**

#### Schuko/Euro adapter

- Schuko plug to 1x Schuko socket and 2x Euro socket
- Children security

#### Schuko adapter with switch

- Schuko plug to Schuko socket with switch
- Children security

#### Schuko/Euro adapter with switch

- Schuko plug to 1x Schuko socket and 2x Euro socket
- Children security

#### Overvoltage protection adapter, 2x 4.500A

- For protecting your electrical devices from overvoltage, e.g. from lightning
- Including function LEDs
- Children security
- Max. connection power: 16A / 3500W
- Leakage current 2x 4500 A

#### A3 W EDP-No. 17462 ctn qty. 100 / white



**AS 1W** EDP-No. 22396

ctn qty. 100 / white





AS 3W EDP-No. 27369 ctn qty. 100 / white





ÜSP 1W EDP-No. 21950 ctn qty. 110 / white











### Socket extensions, basic

#### Triple socket extension lead

- 3x Schuko
- Core thickness 1.5mm<sup>2</sup>
- Sockets angled at 45°
- Virtually unbreakable housing
- Children security

#### Triple socket extension lead with switch

- 3x Schuko with switch
- Core thickness 1.5mm<sup>2</sup>
- Sockets angled at 45°
- Virtually unbreakable housing
- Children security





EBLS 3W EDP-No. 27014 ctn qty. 38 / white / 1.4m

EBLS 3S EDP-No. 27015 ctn qty. 38 / black / 1.4m

EBLS 3W3 EDP-No. 31044 ctn qty. 20 / white / 3.0m









### Socket extensions, basic

#### Five socket extension lead with switch

- 5x Schuko with switch
- Core thickness 1.5mm<sup>2</sup>
- Sockets angled at 45°
- Virtually unbreakable housing
- Children security

#### Six socket extension lead with switch

- 6x Schuko with switch
- Core thickness 1.5mm<sup>2</sup>

- Virtually unbreakable housing

- Sockets angled at 45°
- Children security

EBLS 5W EDP-No. 27016 ctn qty. 34 / white / 1.4m

EBLS 5S EDP-No. 27017 ctn qty. 34 / black / 1.4m

EBLS 5W3 EDP-No. 31045 ctn qty. 15 / white / 3.0m





EBLS 6W EDP-No. 27018 ctn qty. 20 / white / 1.4m

EBLS 6S EDP-No. 27019 ctn gtv. 20 / black / 1.4m







### Socket extensions, comfort

#### Triple socket extension lead

- 3x Schuko
- Core thickness 1.5mm<sup>2</sup>
- Sockets angled at 45°
- Virtually unbreakable housing
- Children security
- Incl. wall mount holder

#### Triple socket extension lead with switch

- 3x Schuko with switch
- Core thickness 1.5mm<sup>2</sup>
- Sockets angled at 45°
- Virtually unbreakable housing
- Children security
- Incl. wall mount holder



ctn qty. 40 / white / 1.4m



EDP-No. 22353

ctn qty. 40 / black / 1.4m





EKS3 W EDP-No. 22354 ctn qty. 40 / white / 1.4m

EKS3 S EDP-No. 22351

ctn qty. 40 / black / 1.4m

EKS3 W3 EDP-No. 22356

ctn qty. 20 / white / 3.0m

EKS3 W5 EDP-No. 22357 ctn qty. 16 / white / 5.0m











### Socket extensions, comfort

#### Five socket extension lead with switch

- 5x Schuko with switch
- Core thickness 1.5mm<sup>2</sup>
- Sockets angled at 45°
- Virtually unbreakable housing
- Children security
- Incl. wall mount holder

#### Seven socket extension lead with switch

- 5x Schuko + 2x Euro with switch
- Core thickness 1.5mm<sup>2</sup>
- Sockets angled at 45°
- Virtually unbreakable housing
- Children security
- Incl. wall mount holder

#### Ten socket extension lead with switch

- 6x Schuko + 4x Euro with switch
- Core thickness 1.5mm<sup>2</sup>
- Sockets angled at 45°
- Virtually unbreakable housing
- Children security
- Incl. wall mount holder

#### Triple socket extension lead with switch

- 3x Schuko with switch
- Cable opposed to the switch
- Core thickness 1.5mm²
- Sockets angled at 45°
- Virtually unbreakable housing
- Children security

#### Six socket extension lead with switch

- 6x Schuko with switch
- Cable opposed to the switch
- Core thickness 1.5mm²
- Sockets angled at 45°
- Virtually unbreakable housing
- Children security



### **Extension cables**

#### Euro extension lead

- Euro plug to Euro socket
- Core thickness 0.75mm<sup>2</sup>

### Schuko extension lead

- Schuko plug to Schuko socket
- Core thickness 1.5mm<sup>2</sup>

#### Schuko extension lead in polybag

- Schuko plug to Schuko socket
- Core thickness 1.5mm²

EV3W EDP-No. 22129

ctn qty. 50 / white / 3.0m

EV3S

EDP-No. 22130

ctn qty. 50 / black / 3.0m

EV5W

EDP-No. 22131

ctn qty. 40 / white / 5.0 m

EV5S

EDP-No. 22132

ctn qty. 40 / black / 5.0m



SKV 2 W EDP-No. 7278

ctn qty. 30 / white / 2.0m

SKV 3 W

EDP-No. 7280

ctn qty. 28 / white /  $3.0\mbox{m}$ 

SKV 5 W

EDP-No. 7282

ctn qty. 20 / white / 5.0m

**SKV 10 W** 

EDP-No. 7284

ctn qty. 15 / white / 10.0m



SKV 2 WB

EDP-No. 31143

ctn qty. 28 / white / 2.0m

SKV 2 BB

EDP-No. 31042

ctn qty. 28 / black / 2.0m

SKV 5 WB

EDP-No. 31144

ctn qty. 20 / white /  $5.0\mbox{m}$ 

SKV 5 BB

EDP-No. 31043

ctn qty. 20 / black / 5.0m

SKV 10 WB

EDP-No. 31145

ctn qty. 15 / white / 10.0m









### **Professional line**

#### 6way power socket with foot switch

- With 6 schuko sockets
- 2 schuko sockets with permanent power supply. Ideally for devices which needs to be powered all the time (e.g. WLAN Router, Sat Receiver, Phone)
- 4 Schuko sockets switchable
- With children security
- 1.40m power cord
- 1.00m cable length on the foot switch
- With function LED
- Max. 3.680W, 16A, 230V~ / 50Hz

#### 6way power socket with USB connection

- With 6 schuko and 2 USB sockets (iPhone/iPod/iPad)
- USB port with 5V=, 2.1A max.; optional:
- 2 devices with 1A max.
- 1 device with 2.1A max.
- With children security
- With function LED
- Max. 3.680W, 16A, 230V~ / 50Hz

# Four socket extension lead with switch and surge protection

- 4x Schuko
- Surge protection up to 19.500A
- Children security
- 1.40m lead, 1.5mm² core thickness
- Incl. wall mount holder
- 16A / 3.500W / 50Hz

## Six socket extension lead with switch and surge protection

- 6x Schuko
- Surge protection up to 19.500A
- Children security
- 1.40m lead, 1.5mm<sup>2</sup> core thickness
- Incl. wall mount holder
- 16A / 3.500W / 50Hz

# Four socket extension lead ALU with switch and surge protection

- 4x Schuko
- Surge protection up to 19.500A
- Overload protection
- Children security
- 2m lead, 1.5mm<sup>2</sup> core thickness
- Incl. wall mount holder
- 16A / 3.500W / 50Hz



### **Professional line**

## Six socket extension lead ALU with switch and surge protection

- 6x Schuko
- Surge protection up to 19.500A
- Overload protection
- Children security
- 2m lead, 1.5mm<sup>2</sup> core thickness
- Incl. wall mount holder
- 16A / 3.500W / 50Hz

## Eight socket extension lead ALU with switch and surge protection

- 8x Schuko
- Surge protection up to 19.500A
- Overload protection
- Children security
- 2m lead,  $1.5mm^2$  core thickness
- Incl. wall mount holder
- 16A / 3.500W / 50Hz

## Ten socket Master-Slave extension lead ALU, with switch and surge protection

- 8x Schuko + 2x Euro with switch
- 2x socket extension lead in one housing:
- 6x Schuko für Master-Slave-Betrieb, 2x Schuko + 2x Euro for normal operation
- Switchable Master-Slave function
- High-grade aluminum housing
- Surge protection up to 30.000 A, also for RJ11 (phone), RJ45 (network) and coaxial (TV / RD / SAT)
- Ground protection control
- Overload protection with reset function
- 2m lead
- Max. connection power: 3500W / 16A
- Children security
- Core thickness 1.5mm²





### **Travel plugs**

#### Travel plug set

Suitable for:

- Southern Europe
- America
- Overseas
- UK

#### Travel plug set, Schuko

- Incl. 7 adapters for more than 150 countries throughout the world
- Children security
- Including transport bag
- Suitable for Schuko and Euro plugs

The travel plug is not a voltage and frequency converter!

#### Multi travel adapter

The compact TRAVEL adaptor is the perfect companion for travelling! Thanks to its space saving design it can be stored in any luggage and can be used for adapting many common plug norms. Different inputs and switchable outputs offer highest flexibility choosing the correct adaptor!

- UK, Ireland, Hongkong and other countries with 3-pin UK plug
- Australia, New Zealand and other countries with 2-pin "Aussie" plug
- USA, Canada, Mexico and other countries with 2-pin US plug
- Many European countries with 2-pin Euro plug
- 110V input: max. 275W power consumption
- 230V input: max. 575W power consumption
- Only for indoor use (IP20)
- 2.5A fuse, exchangeable

This adaptor is built according to applicable European laws and can therefore only be used for unearthed devices (protection class II). It is NOT ALLOWED that adaptors like this can be used with plugs that have a ground pin (e.g. Schuko, Swiss or Italian 3-pin plugs). Note: This product does not transform voltages or frequencies. (Input voltage = output voltage).

#### Travel plug for international travel

- Schuko plug <-> Australia / China socket

#### Travel plug GB/D

- Schuko plug <-> GB socket

RS 4 W EDP-No. 7292 ctn qty. 40 / white



RS 7W-N EDP-No. 31141

ctn qty. 50 / black



















new IT-PU MTA EDP-No. 30466

ctn qty. 10 / black



TA AUS/D EDP-No. 28692 ctn qty. 10 / black











### **Travel plugs**

#### Travel plug D/GB

- Schuko socket <-> GB plug
- Incl. 13A securing

#### Travel plug CH/D

- Schuko plug <-> CH socket

#### Travel plug D/CH

- Schuko socket <-> CH plug

#### Travel plug D/USA

- Schuko socket <-> USA plug, 3 pin

#### Travel plug USA/D

- Schuko plug <-> USA socket, 3 pin

#### Travel plug I/D

- Schuko plug <-> Italy socket

#### TA D/GB EDP-No. 28699 ctn qty. 10 / black





TA CH/D EDP-No. 28695 ctn qty. 10 / black





TA D/CH-N EDP-No. 33504 ctn qty. 10 / black





TA D/USA EDP-No. 28694 ctn qty. 10 / black





#### TA USA/D EDP-No. 28698 ctn qty. 10 / black







### Smoke/CO detector & accessories

#### Smoke detector

- Tested according to fire protection ordinance EN14604
- Incl. 9V battery
- With function LED and audible signal (85dB)
- With self test function
- Battery warning system
- Instruction manual

#### SD 3 EDP-No. 33510 ctn qty. 10 / white









### Smoke/CO detector & accessories

#### Smoke Detector, VdS certified

- VdS approved and certified
- Tested according to smoke detector standard EN14604
- CE certified
- Incl. 9V ALKALINE Long Life battery
- Battery lifetime: 5 years
- With function LED and audible signal
- With self test function
- Automatic function control
- With alarm function when the battery power isn't high enough
- Easy and wireless installation
- Incl. instruction manual

#### Photoelektrischer Rauchmelder, 4er Set

- Tested according to smoke detector standard EN14604
- Incl. 9V battery lifetime: 1 year
- Optische Funktionsanzeige und akustisches Signal (85 db)
- With self test function
- Automatic function control
- With alarm function when the battery power isn't high enough
- Incl. instruction manual

#### Carbon Monoxide (CO) Alarm

The installation of the CO Alarm is recommneded by chimney sweeper. Potential couse of risc are chimney, gas stove, gas heating system.

- Oil-, wood burning- and cockle stove
- To protect against toxic carbon monoxide
- With function LED and 85dB alarm
- Visuell Alarm (red flashing LED)
- Low battery alarm
- Regularly self test function
- Continuous measurement of carbon monoxide concentration in the air
- Content: CO-Alarm, mounting material, manual, 9V battery
- Dimensions: 107mm 🔊, Height 44mm
- Battery Type: 9V Alkaline
- Certification: CE / EN50291
- Operation temperature: +5 to +40°C
- Alarm level: >85dB
- Sensibility of the CO Sensor:
- 50 ppm within 60 90 min
- 100 ppm within 10 40 min
- 300 ppm within 3 min

#### Magnetic holder for smoke detector

- Quick and clean assembling
- Fits for almost all smoke detectors (♥ >8cm)
- Also suitable for CO alarm, heat alarm and other, similar devices
- 3M glue tape for a save and permanent assembling
- Incl. instruction manual

SD 5Y EDP-No. 33508 ctn qty. 10 / white



SD 2 SET EDP-No. 31781 ctn qty. 1 / white



new CO M1 EDP-No. 34425 ctn qty. 10 / white



new MH SD1 EDP-No. 34426 ctn qty. 25



### **RF** power sockets

#### 3way RF power socket set

- Set comprises 1 wireless remote control and 3 wireless power outlet receivers
- Switching capacity: max. 1000W per receiver
- Coverage: up to 25m
- Power consumption: <1W
- Incl. battery
- Instruction manual

#### FSS 31000W EDP-No. 26551

ctn qty. 6 / white







#### 3way RF power socket set, 3.600Watt

- Set comprises 1 wireless remote control and 3 wireless power outlet receivers
- Switching capacity: max. 3600W per receiver
- Coverage: up to 25m
- Power consumption <1W
- Incl. battery
- Instruction manual

#### FSS 33600W EDP-No. 26552

ctn qty. 6







### **Timer**

#### Mechanical timer

- A maximum of 96 settings per day
- Shortest interval: 15 minutes
- Integrated children security
- Sliding on and off switch
- Instruction manual
- Voltage: 230 240V~ / 50Hz
- Max. capacity: 16A / 3600W
- Temperature: 0° to +55°C

#### T24 EDP-No. 1414 ctn qty. 6 / white







#### Digital day and week timer

- Max. 128 settings per week
- Min. time setting: 1 min.
- Random function
- LCD display with time control
- Easy to use with 8 buttons
- Children security
- Instruction manual

#### DT 1 EDP-No. 1416 ctn qty. 6 / white







### **Night lights**

#### Spare bulb set

- Content: 4x spare bulb type E14, 7W, 230V~
- Colour: warm white
- This bulb is e.g. designed for item 31052, NL 1

#### LED Nightlight with twilight sensor

The integrated twilight sensor will make sure that the nightlight will be only shine when it is needed. The twilight sensor will only switch on the nightlight if the light intensity is < 10 lux. As soon as the light intensity is higher then this level the nightlight will be switched off. By using energy saving LED's the nightlight needs only 0,60W power in use.

- Switching threshold: 10 lux

- Plug type: euro plug
- Bulb type: LED (3pcs)
- Colour of the LED: white
- Power consumption: < 0,60W
- Size: 80 x 57 x 28mm (without plug)80 x 57 x 65mm (incl. plug)

#### LED Nightlight with twilight sensor and schuko socket

The integrated twilight sensor will make sure that the nightlight will be only shine when it is needed. The twilight sensor will only switch on the nightlight if the light intensity is < 10 lux. As soon as the light intensity is higher then this level the nightlight will be switched off. By using energy saving LED's the nightlight needs only 0,60W power in use. One additional benefit of the nightlight is the integrated schuko socket with shutter. By using the nightlight there can be always one additional device connected to the wall outlet socket.

- Switching threshold: 10 lux
- Plug type: schuko plug
- Socket type: schuko with shutter
- Colour of the housing: white
- Bulb type: LED (3pcs)
- Colour of the LED: white / blue / green
- Power consumption: < 0,60W
- Size:  $80 \times 80 \times 35 \text{mm}$  (without plug)  $80 \times 80 \times 66 \text{mm}$  (incl. plug)

#### LED Nightlight with twilight sensor and schuko socket

The integrated twilight sensor and the integrated power on/auto/off switch will make sure that the nightlight will only shine when it is needed. The twilight sensor will only switch on the nightlight if the light intensity is < 10 lux. As soon as the light intensity is higher then this level the nightlight will be switched off. By using energy saving LED's the nightlight needs only 0,60W power in use. One additional benefit of the nightlight is the integrated schuko socket with shutter. By using the nightlight there can be always one additional device connected to the wall outlet socket.

- 3 operation modes: ON / AUTO / OFF
- ON: The nightlight is permanently switched on
- AUTO: The twilight automatic enables the nightlight independently at dark (at about 10Lux). As soon as 10 Lux are exceeded the nightlight automatically disables itself.
- OFF: The nightlight is switched off
- Switching threshold: 10 lux
- Plug type: schuko plug
- Socket type: schuko with shutter
- Bulb type: LED (3pcs)
- Colour of the LED: white
- Power consumption: < 0,60W
- Size: 80 x 80 x 35mm (without plug) 80 x 80 x 66mm (incl. plug)

EBNL 1/4 EDP-No. 31053 ctn qty. 6 / white



NL 3LED EDP-No. 34421 ctn qty. 6 / white



new NL 4LED GBW EDP-No. 33511

ctn qty. 6 / white









NL 4LED WS EDP-No. 33512

ctn qty. 6 / switchable white







### **Others**

#### Protection cap set for schuko outlets

- Set exists out of 6 protection caps
- Only suitable for schuko outlets

KSS 6 EDP-No. 31049 ctn qty. 6 / white



### **Connection cables**

#### Power supply leads

- Euro plug Japan-8
- For connection of small electronic equipment to a socket outlet

VN 125-N EDP-No. 41095 ctn qty. 5 / 1.25m



#### Power supply leads

- Euro plug Japan-8
- For connection of small electronic equipment to a socket outlet

VN 200-N EDP-No. 41096 ctn qty. 5 / 2.0m



## Power supply cable 3 pin earthed IEC plug

- Mains connection for PC, etc
- With earthing contact

CC E 18 EDP-No. 45482 ctn qty. 5 / 1.8m



## Power supply extension cable 3 pin IEC socket <-> 3 pin IEC plug

- For extension of cooling device connection cables
- With earthing contact

CE E 18 EDP-No. 45483 ctn qty. 5 / 1.8m



## Notebook mains adapter connection cable Plug <-> IEC 320 5c plug

- Mains adapter power supplycable for notebooks, mobile power supply switching and other equipment
- With earthing contact

CC E 18 N EDP-No. 45484 ctn qty. 5 / 1.8m

